

AppFabric vs. NCache Comparison

For .NET & Java Applications

AppFabric v1.1 vs. NCache 4.3 SP1

This document compares AppFabric v1.1 and NCache 4.3 SP1. Read this comparison to:

- Understand AppFabric and NCache major feature differences
- See how AppFabric and NCache compare on qualitative aspects such as performance, scalability, high availability, data reliability, and administration.

Table of Content

Disclaimer.....	1
1 Executive Summary.....	2
2 Qualitative Differences Explained.....	5
2.1 Performance and Scalability.....	5
2.2 Cache Elasticity (High Availability).....	7
2.3 Cache Topologies	8
2.4 WAN Replication.....	10
2.5 Cache Administration.....	11
2.6 Security & Encryption	13
2.7 Object Caching Features.....	14
2.8 Managing Data Relationships.....	15
2.9 Synchronization with Data Sources.....	16
2.10 Runtime Data Sharing.....	18
2.11 Cache Search (SQL-Like)	19
2.12 Data Grouping.....	20
2.13 Read-through, Write-through & Cache Loader.....	21
2.14 Cache Size Management (Evictions Policies)	22
2.15 ASP.NET & Java Web Sessions Caching	23
2.16 Third Party Integrations.....	25
3 Conclusion.....	28

Disclaimer

The comparison provided in this document is for the purpose of helping you get a better understanding of AppFabric versus NCache. Information obtained about AppFabric is from the freely available downloads, documents, and forums.

We did not conduct any scientific benchmarks for performance and scalability of AppFabric so our assessment about it may be different from yours. NCache benchmarks are already published on our website (www.alachisoft.com) for you to see.

Additionally, we have made a conscious effort to be objective, honest, and accurate in our assessments in this document. But, any information about AppFabric could be unintentionally incorrect or missing, and we do not take any responsibility for it.

Instead, we strongly recommend that you do your own comparison of AppFabric with NCache and arrive at your own conclusions. We also encourage you to do performance benchmarks of both AppFabric and NCache in your environment for the same purpose.

1 Executive Summary

This document compares AppFabric v1.1 with NCache 4.3 SP1, and contrasts their significant differences. This comparison focuses on all the major areas that a good distributed cache should provide.

Feature	AppFabric	NCache
Performance & Scalability		
- Cache Performance	<i>Please verify yourself</i>	Excellent
- Cache Scalability	<i>Please verify yourself</i>	Excellent
- Bulk Operations	Partial support	Full support
- Async Operations	No support	Full support
- Compression	Partial support	Full support
- Fast Compact Serialization	No support	Full support
- Indexes	No support	Full support
- Multiple NIC binding	No support	Full support
Cache Elasticity (High Availability)		
- Dynamic Cache Cluster	Partial support	Full support
- Peer to Peer Architecture	No support	Full support
- Connection Failover	Partial support	Full support
- Dynamic Configuration	No support	Full support
- Multiple Clusters	No support	Full support
- Named Caches	Supported	Full support
- Communication Protocols	TCP	TCP, REST (soon)
- Cluster Specific Events	Partial support	Full support
Cache Topologies		
- .NET Clients	Supported	Full support
- Java Clients	No support	Full support
- Local Cache	Supported	Full support
- Client Cache (Near Cache)	No support	Full support
- Mirrored Cache	No support	Full support
- Replicated Cache	No support	Full support
- Partitioned Cache	Supported	Full support
- Partitioned-Replica Cache	Partial support	Full support
WAN Replication		
- Active – Passive	No support	Full support
- Active – Active	No support	Full support
- One Active – Multiple Passive	No support	No support (soon)
- 3 or More Active	No support	No support (soon)
- Conflict Resolution	No support	Full support
- De-duplication	No support	Full support
- Data Security	No support	Full support
Cache Administration		
- Cache Admin (GUI Tool)	Partial support	Full support
- Cache Monitoring (GUI Tool)	No support	Full support
- PerfMon Counters	Supported	Full support
- JMX Counters	No support	Full support
- Command Line Admin Tools	Supported	Full support
- Admin and Monitoring API	Partial support	Full support

Security & Encryption		
- Active Directory/LDAP Authentication	Supported	Full support
- Authorization	Supported	Full support
- Data Encryption	No support	Full support
- Secure Communication	Supported	Full support
Object Caching Features		
- Get, Add, Insert, Remove, Exists, Clear Cache	Supported	Full support
- Expirations	Partial support	Full support
- Lock & Unlock	Supported	Full support
- Item Versioning	Supported	Full support
- Multiple Object Versions	No support	Full support
- Streaming API	No support	Full support
Managing Data Relationships		
- Key Based Dependency	No support	Full support
- Multi-Cache Key Dependency	No support	Full support
Synchronization with Data Sources		
- SqlDependency (SQL Server)	No support	Full support
- OracleDependency (Oracle)	No support	Full support
- DbDependency (OLEDB)	No support	Full support
- File Based Dependency	No support	Full support
- Custom Dependency	No support	Full support
Runtime Data Sharing		
- Item Level Events (onInsert/onRemove)	Supported	Full support
- Cache Level Events (Add/Insert/Remove)	Partial support	Full support
- Custom Events (Fired by Apps)	No support	Full support
- Continuous Query	No support	Full support
Cache Search (SQL-Like)		
- Object Query Language (OQL)	No support	Full support
- LINQ Queries	No support	Full support
Data Grouping		
- Groups/Subgroups	No support	Full support
- Tags	Partial support	Full support
- Named Tags	No support	Full support
Read-through, Write-through & Cache Loader		
- Read-through	Partial support	Full support
- Write-through	No support	Full support
- Write-behind	Partial support	Full support
- Reload Items with Read-through (Expiration, Db Sync)	No support	Full support
- Cache Startup Loader	No support	Full support
Cache Size Management (Evictions Policies)		
- Max Cache Size (in MBs)	Supported	Full support
- Least Recently Used (LRU) Evictions	Supported	Full support
- Least Frequently Used (LFU) Evictions	No support	Full support
- Priority Evictions	No support	Full support
- Do Not Evict Option	No support	Full support
ASP.NET & Java Web Sessions		

- ASP.NET Sessions	Partial support	Full support
- ASP.NET Sessions (Multiple Data Centers)	No support	Full support
- ASP.NET View State Cache	Partial support	Full support
- ASP.NET Output Cache	Supported	Full support
- Java Session Persistence	No support	Full support
Third Party Integrations		
- NHibernate 2nd Level Cache	No official support	Full support
- Entity Framework 2nd Level Cache	No official support	Full support
- Memcached Protocol Server	No support	Full support
- Memcached Smart Wrapper	No support	Full support
- Hibernate 2nd Level Cache	No support	Full support
- Spring Integration	No support	Full support
- JCache API	No support	No support (soon)

2 Qualitative Differences Explained

2.1 Performance and Scalability

Performance is defined as how fast cache operations are performed at a normal transaction load. Scalability is defined as how fast the same cache operations are performed under higher and higher transaction loads. NCache is extremely fast and scalable.

See [NCache benchmarks](#) for details.

Feature Area	AppFabric	NCache
Cache Performance	<p><i>Please verify this yourself.</i></p> <p>AppFabric uses WCF for client/server and server/server communication. WCF is quite heavy because it is a general purpose communication protocol.</p>	<p>Extremely good.</p> <p>NCache uses its own light-weight socket-level protocol for client/server and server/server communication. This is much faster than WCF.</p>
Cache Scalability	<p><i>Please verify this yourself.</i></p> <p>In non-scientific testing, we've seen AppFabric to not scale very nicely and as you increase load, the overall performance drops.</p>	<p>Extremely good.</p> <p>NCache provides linear scalability, means as you add more nodes to the cluster your performance increase in a linear fashion.</p>
Bulk Operations	<p>Partial support.</p> <p>Only Bulk Get provided. No Bulk Add, Update or Delete.</p>	<p>Full support.</p> <p>Bulk Get, Add, Insert, and Remove. This covers most of major cache operations and gives great performance boost.</p> <p>Provides for both .NET and Java.</p>
Async Operations	<p>No support.</p>	<p>Full support.</p> <p>Async add, insert, and remove provided.</p> <p>Async operation returns control to the application and performs the cache operation in the background. Improves application performance greatly.</p> <p>Provides for both .NET and Java.</p>
Compression	<p>Partial support.</p> <p>You cannot specify a threshold on object size. As a result, even small cached items are compressed which slows down the cache.</p>	<p>Full support.</p> <p>Specify this along with object size threshold and only items larger than the threshold are compressed.</p> <p>Compressing small objects yields no</p>

Feature Area	AppFabric	NCache
		<p>benefit and actually slows things down. And, you can change this config at runtime through "Hot Apply".</p> <p>Can keep both compressed and uncompressed objects in the same cache.</p>
Fast Compact Serialization	<p>No support.</p> <p>AppFabric uses .NET serialization, which is slower and less compact. Hence it hinders performance.</p>	<p>Full support.</p> <p>NCache lets you register your classes with the cache through a GUI tool (NCache Manager).</p> <p>Then, NCache generates serialization code and compiles it in-memory when your application connects to the cache. This code is then used to serialize objects and it is almost 10 times faster than regular .NET and Java serialization (especially for larger objects).</p> <p>Provides for both .NET and Java.</p>
Indexes	<p>No support.</p>	<p>Full support.</p> <p>You can use NCache Manager (GUI tool) to create indexes on any attributes of .NET or Java objects.</p> <p>NCache also creates indexes automatically on Tags, Named Tags, Groups, and Subgroups. Expiration and eviction policies also use indexes.</p> <p>NCache generates data extraction code at connection time, compiles it in-memory, and uses it for all data extraction instead of .NET and Java Reflection. This is much faster.</p>
Multiple NICs	<p>No support.</p>	<p>Full support.</p> <p>You can assign two NICs to a cache server. One can be used for clients to talk to the cache server and second for multiple cache servers in the cluster to talk to each other. Improves your data bandwidth scalability greatly.</p> <p>You can also assign a specific NIC for a cache client to use for talking to the cache server.</p>

2.2 Cache Elasticity (High Availability)

Cache elasticity means how flexible the cache is at runtime. Are you able to perform the following operations at runtime without any down time for the cache or your application?

1. Add or remove cache servers at runtime without stopping the cache.
2. Make cache config changes without stopping the cache
3. Add or remove web/application servers without stopping the cache
4. Have failover support in case any server goes down (meaning are cache clients are able to continue working seamlessly).

This is an area where AppFabric is really weak. In fact, it doesn't provide any support for any of these things. But, NCache is known for its strength in this area. NCache provides a self-healing dynamic cache clustering that makes NCache highly elastic. Read more about it at [dynamic clustering](#).

Feature Area	AppFabric	NCache
Dynamic Cache Cluster	<p>Partial support.</p> <p>Not fully dynamic.</p> <p>Dependency on "lead hosts majority rule" means cluster can go down very easily if even one lead host goes down.</p>	<p>Full support.</p> <p>NCache is highly dynamic and lets you add or remove cache servers at runtime without any interruption to the cache or your application</p> <p>Data is automatically rebalanced (called state transfer) at runtime without any interruption or performance degradation.</p> <p>NCache clients keep on communicating with cache servers, independent of state of server. Clusters ensure execution of client operations even when data balancing is in process.</p>
Peer to peer architecture	<p>No support.</p> <p>Not peer to peer.</p> <p>Cache cluster contains regular cache nodes and lead host nodes resembling "master" and "slave" architecture and is therefore not fully peer to peer.</p>	<p>Full support.</p> <p>This means that even for in-memory cache, there is no "master" or "slave" nodes in the cluster. There is a "primary coordinator" node that is the senior most node.</p> <p>And, if it goes down, the next senior most node automatically becomes the primary coordinator.</p>
Connection Failover	<p>Partial support.</p> <p>Client to server failover supported but server to server connection failure not fully supported due to lead host majority rule.</p>	<p>Full support.</p> <p>When a cache server goes down, the NCache clients automatically continue working with other servers in the cluster and no interruption is caused.</p> <p>Data of failed node is automatically</p>

Feature Area	AppFabric	NCache
		<p>redistributed between remaining servers in cluster (If cluster topology has replicas of servers)</p> <p>Cluster auto-manages itself by rebalancing its data, assigning replicas and even redistributed data is replicated to new assigned node's replica automatically, all at runtime without causing any interruption.</p>
Dynamic Configuration	<p>No support.</p> <p>All configurations must be defined before cache starts or the cache is restarted for changes to take effect.</p>	<p>Full support.</p> <p>'Hot Apply' feature is provided to change cluster configuration at runtime, without any need of restarting the server/cluster. Reconfigurable options include most of cluster configurations including cache size, eviction ratio, etc.</p>
Multiple Clusters	<p>No support.</p> <p>Each cache server can participate in only one cache cluster.</p>	<p>Full support.</p> <p>NCache allows you to create multiple cache clusters of different configuration and sizes on same set of cache servers.</p>
Named Caches	<p>Supported.</p>	<p>Full support.</p> <p>NCache allows you to create multiple named caches on the same set of cache servers.</p>
Communication Protocol	Binary TCP	<p>Binary TCP</p> <p>REST API (coming soon)</p> <p>Memcached Protocol Server</p>
Cluster Specific Events	<p>Partial support.</p> <p>Polling is required by cache clients to receive event notifications.</p>	<p>Full support.</p> <p>NCache provides .NET and Java events about changes in the cluster like: MemberJoined, MemberLeft, CacheStopped, etc.</p>

2.3 Cache Topologies

Cache Topologies determine data storage and client connection strategy. There are different topologies for different type of uses.

Read more details at [NCache caching topologies](#).

Feature Area	AppFabric	NCache
.NET Clients	Supported.	<p>Full support.</p> <p>.NET clients are fully supported through a socket-level binary protocol.</p>
Java Clients	No support.	<p>Full support.</p> <p>Java clients are fully supported just like .NET clients. Java clients use the same socket-level binary protocol as .NET clients to connect to the cache cluster.</p>
Local Cache	Supported.	<p>Full support.</p> <p>Both InProc and OutProc.</p> <p>You can use NCache as InProc or OutProc local cache. InProc is much faster but your memory consumption is higher if you have multiple application processes.</p> <p>OutProc is slightly slower but saves you memory consumption because there is only one cache copy per server.</p>
Client Cache (Near Cache)	<p>No support.</p> <p>A Client Cache (Near Cache) by definition must stay connected to the cache cluster and synchronize with it for any cache updates in the cluster by other clients.</p> <p>AppFabric local cache is stand-alone and is therefore not a Client Cache (Near Cache).</p>	<p>Full support.</p> <p>Client Cache is simply a local InProc/OutProc cache on client machine but one that stays connected and synchronized with the distributed cache cluster.</p> <p>This way, the application really benefits from this "closeness" without compromising on data integrity.</p>
Mirrored Cache	No support.	<p>Full support.</p> <p>Mirrored Cache is a 2-node active-passive cache and data mirroring is done asynchronously.</p>
Replicated Cache	No support.	<p>Full support.</p> <p>Replicated Cache is active-active cache where the entire cache is copied to each cache server. Reads are super-fast and</p>

Feature Area	AppFabric	NCache
		writes are done as atomic operations within the cache cluster.
Partitioned Cache	<p>Supported.</p> <p>Does not allow changes to be made on runtime.</p>	<p>Full support.</p> <p>You can create a dynamic Partitioned Cache. All partitions are created and clients are made aware all at runtime. This allows you to add or remove cache servers without any interruption.</p>
Partitioned-Replica Cache	<p>Partial support.</p> <p>Does not provide Async replication.</p>	<p>Full support.</p> <p>Same as Partitioned Cache and is fully dynamic except there is also a “replica” for each partition kept at another cache server for reliability.</p> <p>Replica is created and data rebalanced automatically at runtime.</p> <p>Replication can be configured at cache level as synchronous or asynchronous.</p>

2.4 WAN Replication

WAN replication is an important feature for many customers whose applications are deployed in multiple data centers either for disaster recovery purpose or for load balancing of regional traffic.

The idea behind WAN replication is that it must not slow down the cache in each geographical location due to the high latency of WAN. NCache provides Bridge Topology to handle all of this. Read more about it at [WAN replication](#).

Feature Area	AppFabric	NCache
One Active - One Passive	No support.	<p>Full support.</p> <p><u>Bridge Topology Active-Passive</u></p> <p>You can create a Bridge between the active and passive sites. The active site submits all updates to the Bridge which then replicates them to the passive site.</p>
One Active – One Passive	No support.	<p>Full support.</p> <p><u>Bridge Topology Active-Active</u></p> <p>You can create a Bridge between two active sites. Both submit their updates to</p>

Feature Area	AppFabric	NCache
		the Bridge which handles conflicts on last update wins rule or a custom conflict resolution handler provided by you. Then, the Bridge ensures that both sites have the same update.
One Active - Multiple Passive	No support.	No support (but coming soon).
3 or More Active	No support.	No support (but coming soon).
Conflict Resolution	No support.	Full support. By default, "last update wins" algorithm is used to resolve conflicts. But, you can specify a "custom conflict resolution handler" that is called to resolve conflict by comparison content of both objects.
De-duplication	No support.	Full support. NCache Bridge optimizes replication queue by de-duplicating items. If the same key is updated multiple times, it only replicates the most recent update.
Data Security	No support.	Full support. Uses VPN between data centers for security. Additionally, can also encrypt data with 3DES and AES algorithms before transportation.

2.5 Cache Administration

Cache administration is a very important aspect of any distributed cache. A good cache should provide the following:

1. GUI based and command line tools for cache administration including cache creation and editing/updates.
2. GUI based tools for monitor the cache activities at runtime.
3. Cache statistics based on PerfMon (since for Windows PerfMon is the standard)

NCache provides powerful support in all these areas. Read more about it at [cache administration and monitoring](#).

Feature Area	AppFabric	NCache
Cache Admin GUI Tool	Partial support. Limited support (basic). AppFabric uses an MMC plug-in for	Full support (advanced). NCache Manager is a powerful GUI tool for NCache. It gives you an explorer view and lets you quickly administer the cache

Feature Area	AppFabric	NCache
	cache administration functions. The tool is very basic (in comparison with NCache).	including cache creation/editing and many other functions.
Cache Monitoring GUI Tool	No support.	<p>Full support (advanced).</p> <p>NCache Monitor is a powerful GUI tool for NCache. Its lets you monitor NCache cluster wide activity from a single location. It also lets you monitor all of NCache clients from a single location.</p> <p>And, you can incorporate non-NCache PerfMon counters in it for comparison with NCache stats. This real-time comparison is often very important.</p>
PerfMon Counters	<p>Supported.</p> <p>AppFabric provides a range of PerfMon counters for monitoring and troubleshooting the cache.</p>	<p>Full support.</p> <p>NCache provides a rich set of PerfMon counters that can be seen from NCache Manager, NCache Monitor, or any third party tool that supports PerfMon monitoring.</p>
JMX	No support	<p>Full support.</p> <p>NCache provides a rich set of JMX counters for its Java clients that can be seen from any third party tool that supports JMX monitoring.</p>
Command Line Admin Tools	<p>Supported.</p> <p>PowerShell Cmdlets provided. You have to use PowerShell Console or write scripts to use these Cmdlets.</p>	<p>Full support.</p> <p>NCache provides a rich set of command line tools/utilities. You can create a cache, add remote clients to it, add server nodes to it, start/stop the cache, and much more.</p>
Admin and Monitoring API	<p>Partial support.</p> <p>REST API.</p> <p>No .NET or Java events provided for cluster changes at runtime.</p>	<p>Full support.</p> <p>NCache provides .NET and Java API to manage and monitor the caches & client. Using this API you can stop/start the cache, get the statistics of the connected clients or get the health info of the cache cluster.</p> <p>This API also includes event notification for cluster changes.</p>

Feature Area	AppFabric	NCache

2.6 Security & Encryption

Many applications deal with sensitive data or are mission critical and cannot allow the cache to be open to everybody. Therefore, a good distributed cache provides restricted access based on authentication and authorization to classify people in different groups of users. And, it should also allow data to be encrypted inside the client application process before it travels to the distributed cache.

NCache provides strong support in all of these areas. See [security and encryption features](#) for details.

Feature Area	AppFabric	NCache
Active Directory/LDAP Authentication	<p>Supported.</p> <p>Through Windows Identity Foundation.</p>	<p>Full support.</p> <p>You can authenticate users against Active Directory or LDAP. If security is enabled, nobody can use the cache without authentication and authorization.</p>
Authorization	<p>Supported.</p> <p>AppFabric allows authorization through 3 users groups; "administrators", "Observers", and "Users".</p>	<p>Full support.</p> <p>You can authorize users to as either "users" or "admins". Users can only access the cache for read-write operations while "admins" can administer the cache.</p>
Data Encryption	<p>No support.</p> <p>AppFabric only provides encryption for transporting data between the client cache and cache cluster. No encryption is available for items stored in the cache.</p>	<p>Full support (3DES, 256AES, ...)</p> <p>You can enable encryption and NCache automatically encrypts all items inside the client process before sending them to the cache.</p> <p>And, this data is kept encrypted while in the cache. And decryption also happens automatically and transparently inside the client process.</p> <p>Currently, 3DES and 256AES encryptions are provided and more are being added.</p>
Secure Communication	<p>Supported.</p>	<p>Full support.</p> <p>Through VPN. SSL/TLS is usually needed for end-user applications whereas NCache security is between app servers and the caching tier or between multiple data centers. And, here VPN is the most</p>

Feature Area	AppFabric	NCache
		<p>suitable way to secure the transport.</p> <p>NCache also encrypts data (as mentioned above) that adds to this in case you don't want to use VPN.</p>

2.7 Object Caching Features

These are the most basic operations without which a distributed cache becomes almost unusable. These by no means cover all the operations a good distributed cache should have.

Feature Area	AppFabric	NCache
Get, Add, Insert, Remove, Exists, Clear Cache	<p>Supported.</p> <p>AppFabric provides the basic cache operations such as Add, Get, Put, Remove.</p>	<p>Full support.</p> <p>NCache provides more variations of these operations and therefore more control to the user.</p>
Expirations	<p>Partial support.</p> <p>Only absolute expiration provided. No sliding expiration is available.</p>	<p>Full support.</p> <p><u>Absolute and Sliding expirations</u></p> <p>They are both provided by NCache. Absolute expiration is good for data that is coming from the database and must be expired after a known time because it might become stale.</p> <p>Sliding expiration means expire after a period of inactivity and is good for session and other temporary data that must be removed once it is no longer needed.</p>
Lock & Unlock	<p>Supported.</p> <p>In AppFabric's optimistic concurrency model, updates to cached objects do not take locks.</p> <p>AppFabric does provide <code>GetAndLock</code> and <code>PutAndUnlock</code> functionality with its pessimistic concurrency model.</p> <p>Locked objects in AppFabric never expire, but they may expire immediately after they are unlocked if it is past their expiration time.</p>	<p>Full support.</p> <p>NCache provides both of these. Lock is used to exclusively lock a cached item so nobody else can read or write it.</p> <p>This item stays locked until either the lock expires or it is unlocked. NCache also has incorporated "lock/unlock" features in "get" and "insert" calls.</p> <p>"<code>GetAndLock()</code>" returns an item locked and "<code>InsertAndUnlock()</code>" updates an item and also unlocks it in one call. This speeds up the cache operations.</p>

Feature Area	AppFabric	NCache
Item Versioning	Supported.	<p>Full support.</p> <p>This feature allows NCache clients to ensure that only one client can update an item and all future updates will fail unless they first fetch the latest version and then update.</p>
Multiple Object Versions	No support.	<p>Full support.</p> <p>NCache allows two different versions of the same object/class to be stored in the cache by different apps. Each app retrieves its own version and the cache keeps a superset.</p>
Streaming API	No support.	<p>Full support.</p> <p>For large objects, NCache allows the cache clients to fetch them in "GetChunk()" manner and update them in "AppendChunk()" manner. With this, NCache clients can stream in or out large objects from the cache.</p>

2.8 Managing Data Relationships

Since most data being cached comes from relational databases, it has relationships among various data items. So, a good cache should allow you to specify these relationships in the cache and then keep the data integrity. It should allow you to handle one-to-one, one-to-many, and many-to-many data relationships in the cache automatically without burdening your application with this task.

See more at [managing data relationships](#).

Feature Area	AppFabric	NCache
Key Based Dependency	No support.	<p>Full support.</p> <p>NCache provides full support for it. You can specify one cached item A depends on another cached item B which then depends on a third cached item C.</p> <p>Then, if C is ever updated or removed, B is automatically removed from the cache and that triggers the removal of A from the cache as well. And, all of this is done automatically by the cache.</p>

Feature Area	AppFabric	NCache
		With this feature, you can keep track of one-to-one, one-to-many, and many-to-many relationships in the cache and invalidate cached items if their related items are updated or removed.
Multi-Cache Key Dependency	No support.	Full support. This is an extension of Key Based Dependency except it allows you to create this dependency across multiple caches.

2.9 Synchronization with Data Sources

Database synchronization is a very important feature for any good distributed cache. Since most data being cached is coming from a relational database, there are always situations where other applications or users might change the data and cause the cached data to become stale.

To handle these situations, a good distributed cache should allow you to specify dependencies between cached items and data in the database. Then, whenever that data in the database changes, the cache becomes aware of it and either invalidates its data or reloads a new copy.

Additionally, a good distributed cache should allow you to synchronize the cache with non-relational data sources since real life is full of those situations as well.

NCache provides a very powerful database synchronization feature. Read more about it at [database synchronization](#).

Feature Area	AppFabric	NCache
SqlDependency (SQL Server)	No support.	Full support. NCache provides SqlDependency support for SQL Server. You can associate a cached item with a SQL statement based dataset in SQL Server. Then whenever that dataset changes (addition, updates, or removal), SQL Server sends a .NET event to NCache and NCache invalidates this cached item. This feature allows you to synchronize the cache with SQL Server database. If you have a situation where some applications or users are directly updating data in the database, you can enable this feature to ensure that the cache stays fresh.

Feature Area	AppFabric	NCache
OracleDependency (Oracle)	No support.	<p>Full support.</p> <p>NCache provides OracleDependency support for Oracle. It works just like SqlDependency but for Oracle. Whenever data changes in the database, Oracle notifies NCache through Oracle event notification.</p> <p>Just like SqlDependency, this feature allows you to synchronize the cache with Oracle database.</p>
DbDependency	No support.	<p>Full support.</p> <p>NCache provides support for you to synchronize the cache with any OLEDB database. This synchronization is based on polling and although it is not as real-time as event based synchronization.</p> <p>But it is much more efficient because in one poll, NCache can synchronize thousands of cached items instead of receiving thousands of individual events in SqlDependency.</p>
File Based Dependency	No support.	<p>Full support.</p> <p>NCache allows you to specify a dependency on an external file. Then NCache monitors this file for any updates and when that happens, NCache invalidates the corresponding cached item.</p> <p>This allows you to keep the cached item synchronized with a non-relational data source.</p>
Custom Dependency	No support.	<p>Full support.</p> <p>NCache allows you to implement a custom dependency and register your code with the cache cluster. Then, NCache calls your code to monitor some custom data source for any changes.</p> <p>When changes happen, you fire a dependency update within NCache which causes the corresponding cached item to be removed from the cache.</p>

Feature Area	AppFabric	NCache
		This feature is good when you need to synchronize the cached item with a non-relational data source that cannot be captured by a flat file. So, custom dependency handles this case.

2.10 Runtime Data Sharing

Runtime data sharing has become an important use for distributed caches. More and more applications today need to share data with other applications at runtime in an asynchronous fashion.

Previously, relational databases were used to share data among multiple applications but that requires constant polling by the applications wanting to consume data. Then, message queues became popular because of their asynchronous features and their persistence of events. And although message queues are great, they lack performance and scalability requirements of today's applications.

As a result, more and more applications are using in-memory distributed caches for event driven runtime data sharing. This data sharing should be between multiple .NET applications or between .NET and Java applications.

NCache provides very powerful features to facilitate runtime data sharing. They are discussed below and compared with AppFabric. See [runtime data sharing](#) for details.

Feature Area	AppFabric	NCache
Item Level Events (onInsert/onRemove)	<p>Supported.</p> <p>These events have performance and scalability issues because they use WCF as their transport layer.</p> <p><i>Please verify this yourself.</i></p>	<p>Full support (fast).</p> <p>These events are super-fast and scalable due to NCache's light-weight socket-level protocol.</p>
Cache Level Events (Add/Insert/Remove)	<p>Partial support.</p> <p>Cache Region event notifications. These events require polling by the cache clients which has a negative performance impact.</p>	<p>Full support.</p> <p>NCache allows you to register callbacks against cache level add, insert, and update events.</p> <p>Your callback is called when this happens even if your application is remotely connected to the cache.</p>
Custom Events (Fired by Apps)	<p>No support.</p>	<p>Full support.</p> <p>NCache allows your applications to fire custom events into the cache cluster. And, other applications can register to be notified for these events.</p> <p>This feature allows you to coordinate a</p>

Feature Area	AppFabric	NCache
		producer/consumer scenario where after the producer has produced data, it notifies all the consumers to consume it.
Continuous Query	No support.	<p>Full support.</p> <p>NCache provides a powerful Continuous Query (CQ) feature. CQ lets you specify a SQL-like query against which NCache monitors the cache for any additions, updates, or deletes. And, your application is notified whenever this happens.</p> <p>Think of this feature as being equivalent to SqlDependency but for the cache and not the database.</p>

2.11 Cache Search (SQL-Like)

Distributed cache is frequently used to cache objects that contain data coming from a relational database. This data may be individual objects or collections that are the result of some database query.

Either way, applications often want to fetch a subset of this data and if they have the ability to search the distributed cache with a SQL-like query language and specify object attributes as part of the criteria, it makes the distributed cache much more useful for them.

NCache provides powerful Object Query Language (OQL) for searching the cache with a SQL-like query. Read more about it at [Object Query Language](#) for details.

Feature Area	AppFabric	NCache
Object Query Language (OQL)	No support.	<p>Full support.</p> <p>NCache provides a rich Object Query Language (OQL) with which you can search the cache. Your search criteria can now include object attributes (e.g. <code>cust.city = 'New York'</code>) and you can also include Tags and Named Tags in the query language.</p> <p>The net benefit is that the cache is no longer a black box that is only accessible through key-value pair.</p>
LINQ Queries	No support.	<p>Full support.</p> <p>NCache allows you to search the cache with LINQ queries. LINQ is a popular object querying language in .NET and</p>

Feature Area	AppFabric	NCache
		<p>NCache has implemented a LINQ provider.</p> <p>So, if you're comfortable using LINQ, you can search the cache the same way you would with NCache's own OQL.</p>

2.12 Data Grouping

A distributed cache should be much more than a Hashtable with a (key, value) pair interface. It needs to meet the needs of real life applications that expect to fetch and update data in groups and collections. In a relational database, SQL provides a very powerful way to do all of this.

We've already explained how to search a distributed cache through OQL and LINQ. Now let's discuss Groups, Tags, and Named Tags. These features allow you to keep track of collections of data easily and even modify them.

Feature Area	AppFabric	NCache
Groups/Subgroups	No support.	<p>Full support.</p> <p>NCache provides the ability for you to group cached items in a group-subgroup combination (or just group with no subgroup).</p> <p>You can later fetch or remove all items belonging to a group. You can also fetch just the keys and then only fetch subset of them.</p>
Tags	<p>Partial support.</p> <p>Tags in AppFabric are specific to regions and not at cache level.</p>	<p>Full support.</p> <p>NCache provides a concept called Tags. A Tag is a string that you can assign to one or more cached items. And one cached item can be assigned multiple Tags. Tags are specified at cache level.</p> <p>And, later, you can fetch items belonging to one or more Tags in order to manipulate them.</p> <p>You can also include Tags in Object Query Language or LINQ search as part of the criteria.</p>
Named Tags	No support.	<p>Full support.</p> <p>NCache provides Named Tags feature where you can assign a "key" and "tag" to</p>

Feature Area	AppFabric	NCache
		<p>one or more cached items. And, a single cached item can get multiple Named Tags.</p> <p>Later, you can fetch items belonging to one or more Named Tags. You can also use Named Tags in OQL and LINQ queries as part of the criteria.</p>

2.13 Read-through, Write-through & Cache Loader

Many people use distributed cache as “cache on the side” where they fetch data directly from the database and put it in the cache. Another approach is “cache through” where your application just asks the cache for the data. And, if the data isn’t there, the distributed cache gets it from your data source.

The same thing goes for write-through. Write-behind is nothing more than a write-through where the cache is updated immediately and the control returned to the client application. And, then the database or data source is updated asynchronously so the application doesn’t have to wait for it.

NCache provides powerful capabilities in this area. See [read-through & write-through](#) for details.

Feature Area	AppFabric	NCache
Read-through	<p>Partial support (not dynamic).</p> <p>Cannot add read-through and write-through handlers without stopping the cache.</p>	<p>Full support.</p> <p>NCache allows you to implement multiple read-through handlers and register with the cache as “named providers”. Then, the client can tell NCache to use a specific read-through upon a “cache miss”.</p> <p>NCache also allows you to add read-through handlers at runtime without stopping the cache.</p>
Write-through	<p>No support.</p>	<p>Full support.</p> <p>NCache allows you to implement multiple write-through handlers and register with NCache as “named providers”. Then, the client can tell NCache which write-through to use when updating the data source.</p> <p>You can also add write-through handlers at runtime without stopping the cache.</p>
Write-behind	<p>Partial support (not dynamic).</p>	<p>Full support.</p>

Feature Area	AppFabric	NCache
	<p>AppFabric allows modified cache items to be periodically written to the backend store using a write-behind provider. This happens asynchronously and on an interval defined by the cache.</p> <p>Cannot add write-behind handlers at runtime.</p>	<p>Write-behind is the same as write-through except writing to the data source is asynchronously done.</p> <p>NCache updates the cache immediately and queues up the database update and a background thread processes it and calls your write-through handler.</p>
Reload Items at Expiration & Database Synchronization	<p>No support.</p> <p>AppFabric itself does not provide functionality for reloading items at expiration. It leaves it up to the application to reload the data from the backend store using the cache-aside programming pattern. Database synchronization on expiration is not supported.</p>	<p>Full support.</p> <p>If you've implemented a read-through handler, NCache allows you to use it to specify that whenever a cached item expires.</p> <p>Then, instead of removing it from the cache, NCache should call your read-through handler to read a new copy of that object and update the cache with it.</p> <p>You can specify the same when database synchronization is enabled and a row in the database is updated and a corresponding cached item would have been removed from the cache but is now reloaded with the help of your read-through.</p>
Cache Startup Loader	<p>No support.</p>	<p>Full support.</p> <p>NCache lets you implement a Cache Loader and register it with the cache cluster. NCache then calls it to prepopulate the cache upon startup.</p> <p>CacheLoader is your code that reads data from your data source/database.</p>

2.14 Cache Size Management (Evictions Policies)

An in-memory distributed cache always has less storage space than a relational database. So, by design, a distributed cache is supposed to cache a subset of the data which is really the "moving window" of a data set that the applications are currently interested in.

This means that a distributed cache should allow you to specify how much memory it should consume and once it reaches that size, the cache should evict some of the cached items. However, please keep in mind that if you're caching something that does not exist in the database (e.g. ASP.NET Sessions) then you need to do proper capacity planning to ensure that these cached items (sessions in this case) are never evicted from the cache. Instead, they should be "expired" at appropriate time based on their usage.

Feature Area	AppFabric	NCache
Specify Cache Size (in MBs)	Supported.	Supported.
LRU Evictions (Least Recently Used)	Supported.	Full support.
LFU Evictions (Least Frequently Used)	No support.	Full support.
Priority Evictions	No support.	Full support. NCache also lets you specify a “do not evict” priority for some cached items and then they are not evicted.
Do Not Evict Option	No support.	Full support. NCache lets you specify “do not evict” option for the entire cache. Then, nothing is evicted even when cache is full. Instead, the client applications receive an error stating that the cache is full when they try to add data to the cache.

2.15 ASP.NET & Java Web Sessions Caching

ASP.NET applications need three things from a good distributed cache. And, they are ASP.NET Session State storage, ASP.NET View State caching, and ASP.NET Output Cache.

ASP.NET Session State store must allow session replication in order to ensure that no session is lost even if a cache server goes down. And, it must be fast and scalable so it is a better option than InProc, StateServer, and SqlServer options that Microsoft provides out of the box. NCache has implemented a powerful ASP.NET Session State provider. See [ASP.NET Session State](#) for details.

ASP.NET View State caching allows you to cache heavy View State on the web server so it is not sent as “hidden field” to the user browser for a round-trip. Instead, only a “key” is sent. This makes the payload much lighter, speeds up ASP.NET response time, and also reduces bandwidth pressure and cost for you. NCache provides a feature-rich View State cache. See [ASP.NET View State](#) for details.

Third is ASP.NET Output Cache. For .NET 4.0, Microsoft has changed the ASP.NET Output Cache architecture and now allows third-party distributed caches to be plug-in. ASP.NET Output Cache saves the output of an ASP.NET page so the page doesn’t have to execute next time. And, you can either cache the entire page or portions of the page. NCache has implemented a provider for ASP.NET Output Cache.

Feature Area	AppFabric	NCache
ASP.NET Sessions	Partial support (basic). ASP.NET Session replication is not fast and scalable because of WCF being the transport layer.	Full support (advanced). NCache has implemented an ASP.NET Session State Provider (SSP) for .NET 2.0+. You can use it without any code

Feature Area	AppFabric	NCache
	<i>Please verify this yourself.</i>	<p>changes. Just change web.config.</p> <p>NCache also provides flexible session locking options to handle robots flooding an ASP.NET website.</p> <p>NCache provides intelligent session replication and is much faster than any database storage for sessions.</p>
ASP.NET Sessions (Multi-Site)	No support.	<p>Full support.</p> <p>NCache allows you to share sessions across multiple data centers.</p> <p>This serves situations where you don't want to replicate all sessions to each data center but want the ability to overflow traffic from one data center to another without losing your ASP.NET sessions.</p> <p>The session moves from one data center to the next as the user moves.</p>
ASP.NET View State Cache	<p>Partial support (basic).</p> <p>AppFabric supports ASP.NET View State Cache but does not allow for any advanced capabilities.</p>	<p>Full support (advanced).</p> <p>Yes. NCache has an ASP.NET View State caching module. Use it without any code changes. Just modify config file.</p> <p>Here are some advanced features supported by NCache:</p> <ul style="list-style-type: none"> - Group-level policy - Associate pages to groups - Link View State to sessions - Max View State count per user - More...
ASP.NET Output Cache	Supported.	<p>Supported.</p> <p>NCache has an ASP.NET Output Cache provider implemented. It allows you to cache ASP.NET page output in a distributed cache and share it in a web farm.</p>
Java Session Persistence	No support.	<p>Full support.</p> <p>NCache has implemented a Java Servlet Session Provider (Java Servlet 2.3+). You can use it without any code changes. Just</p>

Feature Area	AppFabric	NCache
		<p>change web.xml</p> <p>NCache provides intelligent session replication and is much faster than any database storage for sessions.</p>

2.16 Third Party Integrations

Memcached is an open-source in-memory distributed caching solution which helps speed up web applications by taking pressure off the database. Memcached is used by many of the internet's biggest websites and has been merged with other technologies.

NCache implements Memcached protocol to enable users with existing Memcached implementations to easily migrate to NCache. No code change required for this.

See [Memcached Wrapper](#) for details.

NHibernate is a very powerful and popular object-relational mapping engine. And, fortunately, it also has a second level cache provider architecture that allows you to plug-in a third-party cache without making any code changes to the NHibernate application. NCache has implemented this NHibernate second level cache provider.

See [NHibernate second level cache](#) for details.

Similarly, Entity Framework from Microsoft is also a very popular object-relational mapping engine. And, although Entity Framework doesn't have nice second level cache provider architecture like NHibernate, NCache has nonetheless implemented a second level cache for Entity Framework.

See [Entity Framework second level cache](#) for details.

Feature Area	AppFabric	NCache
NHibernate 2 nd Level Cache	No official support.	<p>Full support.</p> <p>NCache provides a NHibernate 2nd Level Cache provider that you can plug-in through web.config or app.config changes.</p> <p>NCache has also implemented database synchronization feature in this so you can specify which classes should be synchronized with the database. NCache lets you specify SqlDependency or DbDependency for this.</p>
Entity Framework 2 nd Level Cache	No official support.	<p>Full support.</p> <p><u>Custom ADO.NET Provider</u></p> <p>NCache has implemented a behind-the-scene second level cache for Entity Framework. You can plug-in NCache to your EF application, run it in analysis mode, and quickly see all the queries</p>

Feature Area	AppFabric	NCache
		<p>being used by it. Then, you can decide which queries should be cached and which ones skipped.</p> <p>You can also specify which queries should be synchronized with the database through SqlDependency.</p>
Memcached Protocol Server	No support.	<p>Full support.</p> <p>NCache has implemented Memcached protocol fully. This means you can plug-in NCache as a distributed cache as a replacement of Memcached.</p> <p>Two ways are offered to use Memcached applications with NCache.</p> <p>Memcached Pug-In: All the popular Open Source .NET Memcached client libraries have been implemented for NCache.</p> <p>Memcached Gateway: Using this you can store your application data from any application that use the Memcached.</p>
Memcached Smart Wrapper	No support.	<p>Full support.</p> <p>NCache has implemented the popular .NET and Java Memcached client libraries which in-turn calls NCache. This allows you to plug-in Memcached client library to your application without any code change or recompilation.</p>
Hibernate 2 nd Level Cache	No support.	<p>Full support.</p> <p>NCache provides Hibernate 2nd Level Cache provider that you can plug-in to your Java app without any code changes.</p> <p>NCache has also implemented database synchronization feature in this so you can specify which classes should be synchronized with the database. NCache lets you specify OracleDependency or DbDependency for this.</p>
Spring Integration	No support.	Full support.
JCache API	No support.	No support (but coming soon).

3 Conclusion

As you can see in a very detailed fashion, we have outlined all of NCache features and all the corresponding AppFabric features or a lack thereof. We hope this document helps you get a better understanding of AppFabric versus NCache.

Please note that the true cost of ownership for a distributed cache is not just the price of it. It is the cost to your business. The most important thing for many customers is that they cannot afford unscheduled downtime (especially during peak hours). And, this is where an elastic cache like NCache truly shines.

Additionally, all those caching features that NCache provides are intended to give you total control over the cache and allow you to cache all types of data and not just simple data.

Please read more about NCache and also feel free to download a fully working 60-day trial of NCache from:

- [NCache details](#)
- [Download](#)