
AppFabric vs. NCache

Comparison

For .NET & Java Applications

AppFabric v1.1 vs. NCache 5.0 SP4

This document compares AppFabric v1.1 and NCache 5.0 SP4. Read this comparison to:

- Understand AppFabric and NCache major feature differences
- See how AppFabric and NCache compare on qualitative aspects such as performance, scalability, high availability, data reliability, and administration.

Table of Content

Disclaimer	2
1 Executive Summary	3
2 Qualitative Differences Explained.....	8
2.1 .NET Platform Support.....	8
2.2 Operating System Support	10
2.3 Containers & Docker Support.....	11
2.4 Cloud Support.....	12
2.5 Performance and Scalability.....	13
2.6 Cache Elasticity (High Availability)	17
2.7 Cache Topologies.....	21
2.8 WAN Replication	26
2.9 ASP.NET & ASP.NET Core Support	28
2.10 Object Caching Features	32
2.11 Managing Data Relationships in Cache.....	35
2.12 Cache Synchronization with Database	36
2.13 Event Driven Data Sharing	39
2.14 SQL-Like Cache Search.....	42
2.15 Data Grouping	44
2.16 Read-through, Write-through & Cache Loader.....	45
2.17 Big Data Processing	47
2.18 Third Party Integrations & Extensions.....	48
2.19 Security & Encryption	51
2.20 Cache Size Management (Evictions Policies)	53
2.21 Distributed Data Structures	54
2.22 Cache Administration	56
2.23 Java Support	58
3 Conclusion.....	60

Disclaimer

The comparison provided in this document is for the purpose of helping you get a better understanding of AppFabric versus NCache. Information obtained about AppFabric is from the freely available downloads, documents, and forums.

We did not conduct any scientific benchmarks for performance and scalability of AppFabric so our assessment about it may be different from yours. NCache benchmarks are already published on our website (www.alachisoft.com) for you to see.

Additionally, we have made a conscious effort to be objective, honest, and accurate in our assessments in this document. But, any information about AppFabric could be unintentionally incorrect or missing, and we do not take any responsibility for it.

Instead, we strongly recommend that you do your own comparison of AppFabric with NCache and arrive at your own conclusions. We also encourage you to do performance benchmarks of both AppFabric and NCache in your environment for the same purpose.

1 Executive Summary

This document compares AppFabric v1.1 with NCache 5.0 SP4, and contrasts their significant differences. This comparison focuses on all the major areas that a good distributed cache should provide.

Feature	AppFabric	NCache
.NET Platform Support		
- .NET Cache Client	Supported	Supported
- .NET Core Cache Client	Not Supported	Supported
- .NET NuGet Packages	Supported	Supported
- .NET Cache Server	Supported	Supported
- .NET Core Cache Server	Not Supported	Supported
- .NET Server-Side Code	Supported	Supported
- .NET Core Server-Side Code	Not Supported	Supported
Operating System Support		
- Windows (Cache Server)	Supported	Supported
- Windows (Cache Client)	Supported	Supported
- Linux (Cache Server)	Not Supported	Supported
- Linux (Cache Client)	Not Supported	Supported
Containers & Docker Support		
- Docker Image (Windows)	Not Supported	Supported
- Docker Image (Linux)	Not Supported	Supported
- Azure Service Fabric	Not Supported	Supported
- Azure Kubernetes Service (AKS)	Not Supported	Supported
- AWS Elastic Kubernetes Service (EKS)	Not Supported	Supported
- Red Hat OpenShift Kubernetes	Not Supported	Supported
Cloud Support		
- Azure Virtual Machine	Not Supported	Supported
- Azure Managed Service	Not Supported	Supported
- AWS Virtual Machine	Not Supported	Supported
- AWS Managed Service	Not Supported	Supported
- Other Leading Clouds	Not Supported	Supported

Performance and Scalability		
- Cache Performance	Please verify yourself	Super-Fast
- Cache Scalability	Please verify yourself	Extremely Scalable
- Bulk Operations	Partial Support	Supported
- Async Operations	Not Supported	Supported
- Compression	Partial Support	Supported
- Fast Compact Serialization	Not Supported	Supported
- Indexes	Not Supported	Supported
- Multiple NIC Binding	Not Supported	Supported
- Pipelining	Not Supported	Supported
Cache Elasticity (High Availability)		
- Dynamic Cache Cluster	Partial Support	Supported
- Peer to Peer Architecture	Not Supported	Supported
- Connection Failover	Partial Support	Supported
- Dynamic Configuration	Not Supported	Supported
- Multiple Clusters	Not Supported	Supported
- Named Caches	Supported	Supported
- Cluster Specific Events	Partial Support	Supported
- Split Brain Detection & Auto-Recovery	Not Supported	Supported
Cache Topologies		
- Local Cache	Not Supported	Supported
- Client Cache (Near Cache)	Supported	Supported
- Mirrored Cache	Not Supported	Supported
- Replicated Cache	Not Supported	Supported
- Partitioned Cache	Supported	Supported
- Partitioned-Replica Cache	Supported	Supported
- Partitioned Data Balancing	Supported	Supported
- Load Balancing	Supported	Supported
- Partitioned Data Affinity	Not Supported	Supported
- Persistence	Not Supported	Supported
WAN Replication (Multi-Datacenter)		
- Active – Passive	Not Supported	Supported
- Active – Active (2 Datacenters)	Not Supported	Supported

- Active – Active (3+ Datacenters)	Not Supported	Supported
- Conflict Resolution	Not Supported	Supported
- De-duplication	Not Supported	Supported
- Data Security	Not Supported	Supported
ASP.NET & ASP.NET Core Support		
- ASP.NET Core Sessions (basic)	Not Supported	Supported
- ASP.NET Core Sessions (advanced)	Not Supported	Supported
- ASP.NET Core Sessions (multi-datacenter)	Not Supported	Supported
- ASP.NET Core Response Cache	Not Supported	Supported
- ASP.NET Session State Caching (basic)	Partial Support	Supported
- ASP.NET Session State Caching (advanced)	Not Supported	Supported
- ASP.NET Sessions State (multi-datacenter)	Not Supported	Supported
- ASP.NET View State Cache	Partial Support	Supported
- ASP.NET Output Cache	Supported	Supported
Object Caching Features		
- Get, Add, Insert, Remove, Exists, Clear Cache	Supported	Supported
- Expirations	Partial Support	Supported
- Lock & Unlock	Supported	Supported
- Streaming API	Not Supported	Supported
- Transactions	Not Supported	Partial Support
- Data Portability	Not Supported	Supported
- Item Versioning	Supported	Supported
- Multiple Object Versions	Not Supported	Supported
Managing Data Relationships in Cache		
- Key Based Relationships	Not Supported	Supported
- Key Based Relationships Across Caches	Not Supported	Supported
Cache Synchronization with Database		

- SQL Dependency (SQL Server)	Not Supported	Supported
- Oracle Dependency (Oracle)	Not Supported	Supported
- Db Dependency (Any DB)	Not Supported	Supported
- File Dependency	Not Supported	Supported
- Custom Dependency (polling)	Not Supported	Supported
- Custom Dependency (events)	Not Supported	Supported
Event Driven Data Sharing		
- Item Level Events (OnInsert / OnRemove)	Supported	Supported
- Cache Level Events (Add/Insert/Remove)	Partial Support	Supported
- Custom Events (Fired by Apps)	Not Supported	Supported
- Continuous Query	Not Supported	Supported
- Pub/Sub Messaging (Topic)	Not Supported	Supported
- Pub/Sub Messaging (Queue)	Not Supported	Not Supported
- Pub/Sub Messaging (Pattern Subscriptions)	Not Supported	Supported
- Pub/Sub Messaging (Durable Subscriptions)	Not Supported	Supported
SQL-Like Cache Search		
- SQL Search	Not Supported	Supported
- LINQ Queries	Not Supported	Supported
- SQL & LINQ on Tags, Named Tags & Groups	Not Supported	Supported
Data Grouping		
- Groups/Subgroups	Supported	Supported
- Tags	Supported	Supported
- Named Tags	Supported	Supported
Read-through, Write-through, Cache Loader		
- Read-through	Supported	Supported
- Write-through & Write behind	Supported	Supported
- Auto Reload at Expiration & Database Sync	Not Supported	Supported
- Cache Startup Loader	Not Supported	Supported

Big Data Processing		
- Map-Reduce Query	Not Supported	Supported
- Aggregators	Not Supported	Supported
- Entry Processor	Not Supported	Supported
Third Party Integrations & Extensions		
- Entity Framework Core Cache (Extension Methods)	Not Supported	Supported
- Entity Framework 6 Cache	Not Supported	Supported
- NHibernate 2 nd Level Cache	Not Supported	Supported
- Server-side Extensible Modules	Not Supported	Supported
- Full Text Search Extensible Module	Not Supported	Supported (Lucene)
- Memcached Protocol Server	Not Supported	Supported
- Memcached Smart Wrapper	Not Supported	Supported
Security & Encryption		
- Authentication (Active Directory/LDAP)	Not Supported	Supported
- Authorization	Not Supported	Supported
- Data Encryption	Not Supported	Supported
- Secure Communication	Not Supported	Supported
Cache Size Management (Evictions Policies)		
- Max Cache Size (in MBs)	Supported	Supported
- LRU Evictions (Least Recently Used)	Supported	Supported
- LFU Evictions (Least Frequently Used)	Not Supported	Supported
- Priority Evictions	Not Supported	Supported
- Do Not Evict Option	Not Supported	Supported
Distributed Data Structures		
- String	Not Supported	Supported
- List	Not Supported	Supported
- Sorted List	Not Supported	Supported
- Set	Not Supported	Supported
- Sorted Set	Not Supported	Not Supported
- Queue	Not Supported	Supported

- Dictionary	Not Supported	Supported
- Counter	Not Supported	Supported
- Hyper Log	Not Supported	Not Supported
- SQL Search on Data Structures	Not Supported	Supported
Cache Administration		
- Admin Tool (Web based GUI)	Partial Support	Supported
- Monitoring Tool (Web based GUI)	Not Supported	Supported
- PerfMon Counters	Supported	Supported
- Admin Tools (PowerShell)	Not Supported	Supported
- Admin Tools (Command Line)	Not Supported	Supported
- Administration and Monitoring (API)	Partial Support	Supported
Java Support		
- Java API Support	Not Supported	Supported
- JCache API Support	Not Supported	Supported
- Spring Caching	Not Supported	Supported
- Java Web Sessions	Not Supported	Supported
- Java Web Sessions (multi-datacenter)	Not Supported	Supported

2 Qualitative Differences Explained

2.1 .NET Platform Support

For .NET applications, it is important that your distributed cache is also native to .NET so your entire application stack is .NET. Otherwise, it unnecessarily complicates things for your development, testing, and deployment.

This section describes how AppFabric and NCache support .NET platform.

Feature Area	AppFabric	NCache
.NET Cache Client	Supported	Supported

Feature Area	AppFabric	NCache
		Cache Client present as NuGet and separate installation.
.NET Core Cache Client	Not Supported	Supported .NET Core Client is officially supported.
.NET NuGet Packages	Supported	Supported Full set of NuGet packages provided.
.NET Cache Server	Supported	Supported NCache server is native .NET.
.NET Core Cache Server	Not Supported	Supported NCache server is native .NET Core.
.NET Server-Side Code	Supported	Supported Develop all server-side code like Read-through, Write-through, Write-behind, Cache Loader, Custom Dependency, and more in .NET.
.NET Core Server-Side Code	Not Supported	Supported

Feature Area	AppFabric	NCache
		NCache server supports .NET Core based server-side code like Read-through, Write-through, Write-behind, Cache Loader, Custom Dependency, and more.

2.2 Operating System Support

Most .NET applications run on Windows and now .NET Core applications can run on both Windows and Linux. Therefore, it is important that your distributed cache also provides support for these operating systems. This section describes how AppFabric and NCache support different operating systems.

Feature Area	AppFabric	NCache
Windows (Cache Server)	Supported	Supported
Windows (Cache Client)	Supported	Supported Windows officially supported for Cache Client
Linux (Cache Server)	Not Supported	Supported Linux officially supported for Cache Server
Linux (Cache Client)	Not Supported	Supported Linux officially supported for Cache Client using .Net Core support.

2.3 Containers & Docker Support

Containers are becoming very popular for deploying applications in the cloud and elsewhere. See how AppFabric and NCache compare in this area.

Feature Area	AppFabric	NCache
Docker Image (Windows)	Not Supported	Supported Windows Docker Image officially supported for Cache Server
Docker Image (Linux)	Not Supported	Supported Linux Docker Image officially supported for Cache Server
Azure Service Fabric	Not Supported	Supported NCache can be deployed inside Azure Service Fabric and accessed. You can use the same BYOL licenses within Azure Service Fabric.
Azure Kubernetes Service (AKS)	Not Supported	Supported NCache can be deployed inside Azure Kubernetes Service (AKS) and accessed. You can use the same BYOL licenses within AKS.
AWS Elastic Kubernetes Service (EKS)	Not Supported	Supported NCache can be deployed inside AWS Elastic Kubernetes Service (EKS) and accessed. You can use the same BYOL licenses within AKS that you used in Azure.

Feature Area	AppFabric	NCache
Red Hat OpenShift Kubernetes	Not Supported	Supported NCache can be deployed inside Red Hat OpenShift Kubernetes and accessed. You can use the same BYOL licenses within Red Hat OpenShift that you used in Azure.

2.4 Cloud Support

See how each product compares with each other when it comes to providing support for leading cloud platforms.

Feature Area	AppFabric	NCache
Azure Virtual Machine	Not Supported	Supported Preconfigured NCache Server VMs are available in Azure Marketplace. You can take BYOL licenses to another cloud.
Azure Managed Service	Not Supported	Supported With NCache managed service, you will get provisioned, installed and licensed images on Azure with billing configured through Azure portal. Using this you will just have to think cache management.

Feature Area	AppFabric	NCache
AWS Virtual Machine	Not Supported	Supported Preconfigured NCache Server VMs are available in AWS Marketplace
AWS Managed Service	Not Supported	Supported With NCache managed service, you will get provisioned, installed and licensed images on AWS with billing configured through AWS portal. Using this you will just have to think cache management.
Other Leading Clouds	Not Supported	Supported You can install NCache in all leading cloud platform VMs. And, you can take BYOL licenses from one cloud to another.

2.5 Performance and Scalability

Performance is defined as how fast cache operations are performed at a normal transaction load. Scalability is defined as how fast the same cache operations are performed under higher and higher transaction loads. NCache is extremely fast and scalable.

See NCache benchmarks at [Performance and Scalability Benchmarks](#).

Feature Area	AppFabric	NCache
Cache Performance	<i>Please verify yourself</i>	Super-Fast

Feature Area	AppFabric	NCache
	<p>AppFabric uses WCF for client/server and server/server communication. WCF is quite heavy because it is a general purpose communication protocol.</p> <p>Please do benchmarking yourself and make sure your seeing performance based on a real-life usage.</p>	<p>NCache is extremely fast. Please see its performance benchmarks showing 2 million ops/sec that can scale further.</p> <p>You can do benchmarking of NCache in your own environment by using stress-testing tools provided with NCache.</p>
Cache Scalability	<p><i>Please verify yourself</i></p> <p>In non-scientific testing, we've seen AppFabric to not scale very nicely and as you increase load, the overall performance drops.</p>	<p>Extremely Scalable</p> <p>NCache provides linear scalability, means as you add more nodes to the cluster your performance increases in a linear fashion. Please see its performance benchmarks.</p> <p>You can do benchmarking of NCache in your own environment by using stress-testing tools provided with NCache.</p>
Bulk Operations	<p>Partial Support</p> <p>Only Bulk Get provided. No Bulk Add, Update or Delete.</p>	<p>Supported</p> <p>Bulk Get, Add, Insert, and Remove. This covers most of the major cache operations and provides a great performance boost.</p>
Async Operations	<p>Not Supported</p>	<p>Supported</p> <p>Async add, insert, and remove provided.</p>

Feature Area	AppFabric	NCache
		<p>Async operation returns control to the application and performs the cache operation in the background. Improves application response time greatly.</p>
<p>Compression</p>	<p>Partial Support</p> <p>You cannot specify a threshold on object size. As a result, even small cached items are compressed which slows down the cache.</p>	<p>Supported</p> <p>Specify this along with item size threshold and only items larger than the threshold are compressed. Rest are cached uncompressed.</p> <p>This is provided because compressing smaller items often slows things down.</p> <p>And, you can configure “compression” at runtime through “Hot Apply”.</p>
<p>Fast Compact Serialization</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache lets you register your classes with the cache through a Web Based GUI tool (NCache Web Manager).</p> <p>Then, NCache generates serialization code and compiles it in-memory when your application connects to the cache. This code is then used to serialize objects and it is almost 10 times faster than regular .NET and Java serialization (especially for larger objects).</p>

Feature Area	AppFabric	NCache
		Provides for both .NET and Java.
Indexes	Not Supported	<p>Supported</p> <p>You can use NCache Manager (GUI tool) to create indexes on any attributes of .NET or Java objects.</p> <p>NCache also creates indexes automatically on Tags, Named Tags, Groups, and Subgroups. Expiration and eviction policies also use indexes.</p> <p>NCache generates data extraction code at connection time, compiles it in-memory, and uses it for all data extraction instead of .NET and Java Reflection. This is much faster.</p> <p>NCache allows you to define indexes on object attributes.</p> <p>NCache then generates data extraction code for these indexes at connection time, compiles it in-memory, and uses it at client-side for all data extraction. This is much faster than using Reflection.</p> <p>NCache also creates indexes automatically on Tags, Named Tags, Groups, and Subgroups. Expiration and Eviction Policies.</p>
Multiple NIC Binding	Not Supported	Supported

Feature Area	AppFabric	NCache
		<p>You can assign two NICs to a cache server. One can be used for clients to talk to the cache server and second for multiple cache servers in the cluster to talk to each other.</p> <p>This improves your bandwidth scalability greatly.</p> <p>You can also assign a specific NIC for a cache client to use for talking to the cache server.</p>
Pipelining	Not Supported	<p>Supported</p> <p>NCache uses System.IO.Pipelines for high performance IO operations between clients and servers. With pipelining, you can dramatically increase scalability.</p> <p>Pipelining is enabled by default on all caches but can be disabled thru config.</p>

2.6 Cache Elasticity (High Availability)

Cache elasticity means how flexible is the cache at runtime. Are you able to perform the following operations at runtime without stopping the cache or your application?

1. Add or remove any cache servers at runtime without stopping the cache.
2. Make cache config changes without stopping the cache
3. Add or remove web/application servers without stopping the cache
4. Have failover support in case any server goes down (meaning are cache clients are able to continue working seamlessly).

This is an area where AppFabric is relatively weak. In fact, it doesn't provide support for some of these things. But, NCache is known for its strength in this area.

NCache provides a self-healing dynamic cache clustering that makes NCache highly elastic. Read more about it at [Self-Healing Dynamic Clustering](#).

Feature Area	AppFabric	NCache
Dynamic Cache Cluster	<p>Partial Support</p> <p>Not fully dynamic.</p> <p>Dependency on “lead hosts majority rule” means cluster can go down very easily if even one lead host goes down.</p>	<p>Supported</p> <p>NCache is highly dynamic and simple to manage. A shard in NCache is a partition. And, a partition can also have a replica but always on separate server.</p> <p>And, similar to AppFabric, if a cache server goes down, its replica automatically takes over.</p> <p>But, unlike AppFabric, NCache replica automatically rebalances and merges itself into other partitions and all the partitions ensure they have corresponding replicas.</p> <p>This way, NCache is not vulnerable to data loss except during the rebalancing (state transfer) which is quite fast.</p>
Peer to Peer Architecture	<p>Not Supported</p> <p>Not peer to peer.</p> <p>Cache cluster contains regular cache nodes and lead host nodes</p>	<p>Supported</p> <p>NCache cache cluster has a peer to peer architecture. This means</p>

Feature Area	AppFabric	NCache
	<p>resembling “master” and “slave” architecture and is therefore not fully peer to peer.</p>	<p>there is no “master/slave” and no “majority rule” in the cluster.</p> <p>All nodes are equal. There is a “coordinator” node that is the senior most node. If it goes down, next senior most node takes over this role automatically.</p> <p>This means if any server goes down, the cluster always remains functional and correct (even if there is data loss due to not having replicas).</p>
<p>Connection Failover</p>	<p>Partial Support</p> <p>Client to server failover supported but server to server connection failure not fully supported due to lead host majority rule.</p>	<p>Supported</p> <p>NCache provides full connection failover support between cache clients and servers and also within the cache cluster.</p> <p>In case of cache server failure, NCache clients continue working with other servers in the cluster and without any interruption.</p> <p>Cluster auto-manages itself by rebalancing its data and recreating replicas where needed.</p>
<p>Dynamic Configuration</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache cluster configuration is not hard coded and when you add or</p>

Feature Area	AppFabric	NCache
	<p>All configurations must be defined before cache starts or the cache is restarted for changes to take effect.</p>	<p>drop servers at runtime, all other servers in the cluster are made aware of it.</p> <p>NCache clients also learn about all the servers and a variety of other configuration at runtime from the cache cluster.</p> <p>Also, 'Hot Apply' feature allows you to change a lot of the configuration at runtime without stopping anything.</p>
Multiple Clusters	<p>Not Supported</p> <p>Each cache server can participate in only one cache cluster.</p>	<p>Supported</p> <p>NCache allows you to create multiple cache clusters of either the same or different topologies on the same set of cache servers.</p>
Named Caches	<p>Supported</p>	<p>Supported</p> <p>NCache allows you to create multiple named caches on the same set of cache servers.</p>
Cluster Specific Events	<p>Partial Support</p> <p>Polling is required by cache clients to receive event notifications.</p>	<p>Supported</p> <p>NCache provides events about changes in the cluster like: MemberJoined, MemberLeft, CacheStopped, etc.</p>

Feature Area	AppFabric	NCache
		These events can be delivered to both .NET and Java applications natively.
Split Brain Detection & Auto-Recovery	Not Supported	Supported Split brain detection is provided and you're notified through NCache events when that happens and auto recovery is provided.

2.7 Cache Topologies

Cache Topologies determine data storage, data replication, and client connection strategy. There are different topologies for different type of use cases. So, it is best to have a cache that offers a rich variety of cache topologies.

Read more details on NCache caching topologies at [in-memory distributed cache Topologies](#).

Feature Area	AppFabric	NCache
Local Cache	Not Supported	Supported Both InProc and OutProc. InProc is much faster but your memory consumption is higher if you have multiple instances on the same machine. OutProc is slightly slower due to IPC and serialization cost but saves you memory consumption because

Feature Area	AppFabric	NCache
		there is only one copy per machine.
Client Cache (Near Cache)	Supported	<p>Supported</p> <p>Client Cache is a local cache on the cache client machine but one that is connected and synchronized with the cache cluster.</p> <p>Client Cache gives a local cache performance (specially InProc) but with the scalability of a distributed cache.</p> <p>NCache allows you to configure Client Cache without any code changes to the client application.</p>
Mirrored Cache	Not Supported	<p>Supported</p> <p>Mirrored Cache is a 2-node Active-Passive cache. All clients connect to the Active node and data mirroring is done asynchronously.</p> <p>In case Active node goes down, Passive node automatically becomes Active and all clients connect to it automatically.</p>
Replicated Cache	Not Supported	Supported

Feature Area	AppFabric	NCache
		<p>In Replicated Cache, the entire cache is replicated on all nodes in the cluster.</p> <p>You can have more than 2 nodes and all nodes are active meaning clients connect to them directly.</p> <p>Updates are done synchronously within the cluster and are therefore slower than other topologies. But, reads are super-fast.</p> <p>Each client connects to only one node. You can enable load-balancing or specify an ordered server list for the clients to use.</p>
Partitioned Cache	<p>Supported</p> <p>Does not allow changes to be made on runtime.</p>	<p>Supported</p> <p>Full failover support if any server goes down (although there is data loss).</p> <p>Partitioned Cache is a very powerful topology. You can partition without replication to speed up the cache and also use less memory because you can always reload some data if lost in the cache.</p> <p>In Partitioned Cache, the entire cache is partitioned and each cache server gets one partition. All partitions are created or deleted and their buckets reassigned</p>

Feature Area	AppFabric	NCache
		<p>automatically at runtime when you add/remove nodes.</p> <p>Data re-balancing feature is provided even if no partition is added or removed but when any partition gets overwhelmed with too much data.</p> <p>Each client is connected to all cache nodes. This allows it to directly go where the data is (single hop).</p>
Partitioned-Replica Cache	<p>Partial Support</p> <p>Does not allows asynchronous replication</p>	<p>Supported</p> <p>Same as Partitioned Cache (read above).</p> <p>Also provides a replica for each partition kept at another cache server. This provides reliability against data loss if a node goes down. Async and Sync, both replications are supported.</p> <p>Just like partitions, replicas are also created dynamically.</p> <p>Data balancing also updates replicas.</p>
Partitioned Data Balancing	<p>Not Supported</p>	<p>Supported</p>

Feature Area	AppFabric	NCache
		<p>Data is automatically rebalanced when you add/remove cache servers from the cluster.</p> <p>Data is also rebalanced automatically when one cache server has a lot more data than other servers. You can configure the threshold of difference for this. You can turn off auto rebalancing in this case and manually do it if you wish.</p> <p>This applies to both Partitioned Cache and Partition-Replica Cache.</p>
Load Balancing	Not Supported	<p>Supported</p> <p>Clients are balanced among server nodes in case of Replicated Cache topology.</p> <p>For Partitioned Cache topologies clients are connected to all nodes for single hop operation and therefore balanced as well.</p>
Partitioned Data Affinity	Not Supported	<p>Supported</p> <p>NCache provides data affinity. To use it, you specify the other item's key inside {} of an item and then this item stays on the same location as the other item.</p>

Feature Area	AppFabric	NCache
Persistence	Not Supported	<p data-bbox="960 286 1086 318">Supported</p> <p data-bbox="960 409 1374 629">NCache has the equivalent of RDB persistence through Dump/Reload tools that take a snapshot of the cache and persist them to disk or reload the cache from a previous dump.</p> <p data-bbox="960 721 1369 981">NCache also provides the equivalent of AOF through its Read-thru/Write-thru providers. You can write any cache update also to a data source of your choice which is more flexible than AOF which only logs to a file.</p> <p data-bbox="960 1072 1353 1332">And, you can rebuild the cache from your data source by implementing a CacheLoader interface that NCache calls upon startup. This CacheLoader is run on multiple servers in the cluster and is highly scalable.</p>

2.8 WAN Replication

WAN replication is an important feature for many customers whose applications are deployed in multiple data centers either for disaster recovery purpose or for load balancing of regional traffic.

The idea behind WAN replication is that it must not slow down the cache in each geographical location due to the high latency of WAN for propagating the data replication. NCache provides Bridge Topology to handle all of this.

Read more about it at [WAN Replication of In-Memory Cache](#).

Feature Area	AppFabric	NCache
Active – Passive (2 datacenters)	Not Supported	<p data-bbox="954 344 1078 376">Supported</p> <p data-bbox="954 465 1327 497"><u>Bridge Topology Active-Passive</u></p> <p data-bbox="954 586 1350 766">You can create a Bridge between the Active and Passive sites. The Active site submits all updates to the Bridge which then replicates them to the Passive site.</p>
Active – Active (2 datacenters)	Not Supported	<p data-bbox="954 878 1078 909">Supported</p> <p data-bbox="954 999 1311 1030"><u>Bridge Topology Active-Active</u></p> <p data-bbox="954 1120 1385 1456">You can create a Bridge between two active sites. Both submit their updates to the Bridge which handles conflicts on “last update wins” rule or through a custom conflict resolution handler provided by you. Then, the Bridge ensures that both sites have the same update.</p>
Active – Active (3+ datacenters)	Not Supported	<p data-bbox="954 1563 1078 1594">Supported</p> <p data-bbox="954 1684 1311 1715"><u>Bridge Topology Active-Active</u></p> <p data-bbox="954 1805 1369 2020">You can create a Bridge between three or more active sites. All submit their updates to the Bridge which handles conflicts on “last update wins” rule or through a custom conflict resolution handler</p>

Feature Area	AppFabric	NCache
		<p>provided by you. Then, the Bridge ensures that all sites have the same update.</p>
Conflict Resolution	Not Supported	<p>Supported</p> <p>By default, “last update wins” algorithm is used to resolve conflicts. But, you can specify a “custom conflict resolution handler” that is called to resolve conflict by comparing the content of both objects and deciding.</p>
De-duplication	Not Supported	<p>Supported</p> <p>NCache Bridge optimizes replication queue by de-duplicating items. If the same key is updated multiple times, it only replicates the most recent update.</p>
Data Security	Not Supported	<p>Supported</p> <p>You can encrypt data with 3DES and AES algorithms before transportation.</p> <p>Otherwise, you can use a VPN between data centers for security.</p>

2.9 ASP.NET & ASP.NET Core Support

ASP.NET Core applications can persist their Sessions in a distributed cache.

Similarly, ASP.NET applications need three things from a good in-memory distributed cache. And, they are ASP.NET Session State storage, ASP.NET View State caching, and ASP.NET Output Cache.

ASP.NET Session State store must allow session replication in order to ensure that no session is lost even if a cache server goes down. And, it must be fast and scalable so it is a better option than InProc, StateServer, and SqlServer options that Microsoft provides out of the box. NCache has implemented a powerful ASP.NET Session State provider. Read more about it at [NCache Product Features](#).

ASP.NET View State caching allows you to cache heavy View State on the web server so it is not sent as “hidden field” to the user browser for a round-trip. Instead, only a “key” is sent. This makes the payload much lighter, speeds up ASP.NET response time, and also reduces bandwidth pressure and cost for you. NCache provides a feature-rich View State cache. Read more about it at [NCache Product Features](#).

Third is ASP.NET Output Cache. Since .NET 4.0, Microsoft has changed the ASP.NET Output Cache architecture and now allows third-party in-memory distributed cache to be plug-in. ASP.NET Output Cache saves the output of an ASP.NET page so the page doesn’t have to execute next time. And, you can either cache the entire page or portions of the page. NCache has implemented a provider for ASP.NET Output Cache.

Feature Area	AppFabric	NCache
ASP.NET Core Sessions (basic)	Not Supported	Supported NCache has implemented an ASP.NET Core Sessions Provider. NCache provides intelligent session replication and is much faster than any database storage for sessions.
ASP.NET Core Sessions (advanced)	Not Supported	Supported

Feature Area	AppFabric	NCache
		<p>NCache also provides flexible session locking options to handle robots flooding an ASP.NET website.</p> <p>You can also related sessions with view state so when a session expires, all the corresponding view state is also removed.</p>
<p>ASP.NET Core Sessions (multi-datacenter)</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache allows you to share ASP.NET Core sessions across multiple data centers.</p> <p>This serves situations where you don't want to replicate all sessions to each data center but want the ability to overflow traffic from one data center to another without losing your ASP.NET Core sessions.</p> <p>The session moves from one data center to the next as the user moves.</p>
<p>ASP.Net Core Response Cache</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache implementation of IDistributedCache utilizes Distributed Cache Tag Helper that provides the ability to dramatically improve the performance of your ASP.NET Core app by caching its responses.</p>

Feature Area	AppFabric	NCache
ASP.NET Session Caching (basic)	<p>Partial Support</p> <p>ASP.NET Session replication is not fast and scalable because of WCF being the transport layer.</p>	<p>Supported</p> <p>NCache has implemented an ASP.NET Session State Provider (SSP) for .NET 2.0+. You can use it without any code changes. Just change web.config.</p> <p>NCache provides intelligent session replication and is much faster than any database storage for sessions.</p>
ASP.NET Session Caching (advanced)	<p>Not Supported</p>	<p>Supported</p> <p>NCache also provides flexible session locking options to handle robots flooding an ASP.NET website.</p> <p>You can also related sessions with view state so when a session expires, all the corresponding view state is also removed.</p>
ASP.NET Sessions (multi-datacenter)	<p>Not Supported</p>	<p>Supported</p> <p>NCache allows you to share ASP.NET sessions across multiple data centers.</p> <p>This serves situations where you don't want to replicate all sessions to each data center but want the ability to overflow traffic from one data center to another without losing your ASP.NET sessions.</p>

Feature Area	AppFabric	NCache
		The session moves from one data center to the next as the user moves.
ASP.NET View State Cache	<p>Supported</p> <p>AppFabric supports ASP.NET View State Cache but does not allow for any advanced capabilities.</p>	<p>Supported (advanced).</p> <p>Yes. NCache has an ASP.NET View State caching module. Use it without any code changes. Just modify config file.</p> <p>Here are some advanced features supported by NCache:</p> <ul style="list-style-type: none"> - Group-level policy - Associate pages to groups - Link View State to sessions - Max View State count per user - More
ASP.NET Output Cache	<p>Supported</p>	<p>Supported</p> <p>NCache has an ASP.NET Output Cache provider implemented. It allows you to cache ASP.NET page output in an In-Memory Cache and share it in a web farm.</p>

2.10 Object Caching Features

These are the most basic operations without which an in-memory distributed cache becomes almost unusable. These by no means cover all the operations a good Cache should have.

Feature Area	AppFabric	NCache
Get, Add, Insert, Remove, Exists, Clear Cache	Supported	<p>Supported</p> <p>NCache provides more variations of these operations and therefore more control to the user.</p>
Expirations	<p>Partial Support</p> <p>Only absolute expiration provided. No sliding expiration is available.</p>	<p>Supported</p> <p><u>Absolute and Sliding expirations provided.</u></p> <p>Absolute expiration is good for data that is coming from the database and must be expired after a known time because it might become stale.</p> <p>Sliding expiration means expire after a period of inactivity and is good for session and other temporary data that must be removed once it is no longer needed.</p>
Lock & Unlock	Supported	<p>Supported</p> <p>NCache provides both. Lock is used to exclusively lock a cached item so nobody else can read or write it. This item stays locked until either the lock expires or it is unlocked.</p> <p>NCache also provides "GetAndLock()", that locks the item before fetching it, and "InsertAndUnlock()" that updates the item and then unlocks it, all in one call.</p>

Feature Area	AppFabric	NCache
Streaming API	Not Supported	<p>Supported</p> <p>For large objects, NCache allows the cache clients to fetch them in “GetChunk()” manner and update them in “AppendChunk()” manner. With this, NCache clients can stream in or out large objects from the cache.</p>
Transactions	Not Supported	<p>Partial Support</p> <p>Explicit locking</p> <p>Implicit locking (item versioning)</p> <p>Entry Processor (are atomic)</p>
Data Portability	Not Supported	<p>Supported</p> <p>.NET to Java and Java to .NET object conversion supported without going through JSON/XML transformation. Configurable using a user-friendly GUI.</p>
Item Versioning	Supported	<p>Supported</p> <p>This ensures that only one client can update an item and all future updates will fail unless cache clients first fetch the latest version and then update it.</p>
Multiple Object Versions	Not Supported	<p>Supported</p>

Feature Area	AppFabric	NCache
	You have to manage it yourself	NCache allows two different versions of the same class to be stored in the cache by different apps. Each app retrieves its own version and the cache keeps a superset.

2.11 Managing Data Relationships in Cache

Since most data being cached comes from relational databases, it has relationships among various data items. So, a good cache should allow you to specify these relationships in the cache and then keep the data integrity. It should allow you to handle one-to-one, one-to-many, and many-to-many data relationships in the cache automatically without burdening your application with this task.

Feature Area	AppFabric	NCache
Key Based Relationships	Not Supported	<p>Supported</p> <p>You can specify that cached item A depends on cached item B which then depends on cached item C.</p> <p>Then, if C is ever updated or removed, B is automatically removed from the cache and that triggers the removal of A from the cache as well. And, all of this is done automatically by the cache.</p> <p>With this feature, you can keep track of one-to-one, one-to-many, and many-to-many relationships in</p>

Feature Area	AppFabric	NCache
		the cache and invalidate cached items if their related items are updated or removed.
Key Based Relationships Across Caches	Not Supported	Supported This is an extension of Key Based Cache Dependency except it allows you to create this dependency across multiple caches.

2.12 Cache Synchronization with Database

Database synchronization is a very important feature for any good In-Memory distributed cache. Since most data being cached is coming from a relational database, there are always situations where other applications or users might change the data and cause the cached data to become stale.

To handle these situations, a good In-Memory distributed cache should allow you to specify dependencies between cached items and data in the database. Then, whenever that data in the database changes, the cache becomes aware of it and either invalidates its data or reloads a new copy.

Additionally, a good distributed cache should allow you to synchronize the cache with non-relational data sources since real life is full of those situations as well.

NCache provides a very powerful database synchronization feature.

Feature Area	AppFabric	NCache
SQL Dependency (Sync with SQL Server)	Not Supported	Supported

Feature Area	AppFabric	NCache
(Event based)		<p>NCache provides SqlDependency support for SQL Server. You can associate a cached item with a SQL statement based dataset in SQL Server database. Then whenever that dataset changes (addition, updates, or removal), SQL Server sends a notification to NCache and NCache invalidates this cached item or reloads it if you have enabled it with ReadThrough.</p> <p>This feature allows you to synchronize the cache with SQL Server database. If you have a situation where some applications or users are directly updating data in the database, you can enable this feature to ensure that the cache stays fresh.</p>
<p>Oracle Dependency (Sync with Oracle)</p> <p>(Event based)</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache provides OracleDependency support for Oracle. You can associate a cached item with a SQL statement based dataset in Oracle database. Then whenever that dataset changes (addition, updates, or removal), Oracle sends a data notification to NCache and NCache invalidates this cached item or reloads it if you have enabled it with ReadThrough.</p> <p>This feature allows you to synchronize the cache with Oracle database. If you have a situation where some applications or users are directly updating data in the database, you can enable this feature to ensure that the cache stays fresh.</p>

Feature Area	AppFabric	NCache
<p>Db Dependency (Sync with OLEDB) (Polling based)</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache provides support for you to synchronize the cache with any OLEDB database. This synchronization is based on polling. And, although it is not as real-time as a database notification, it is more efficient.</p> <p>It is more efficient because in one poll, NCache can synchronize thousands of cached items instead of receiving thousands of individual database notifications from Oracle in case of OracleDependency.</p>
<p>File Dependency (Sync with Non-Relational Source)</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache allows you to specify a dependency on an external file. Then NCache monitors this file for any updates and when that happens, NCache invalidates the corresponding cached item.</p> <p>This allows you to keep the cached item synchronized with a non-relational data source.</p>
<p>Custom Dependency (Sync with any DB) (Polling based)</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache allows you to implement a custom dependency and register your code with the cache cluster. Then,</p>

Feature Area	AppFabric	NCache
		<p>NCache calls your code to monitor some custom data source for any changes.</p> <p>When changes happen, you fire a dependency update within NCache which causes the corresponding cached item to be removed from the cache.</p> <p>This feature is good when you need to synchronize the cached item with a non-relational data source that cannot be captured by a flat file. So, custom dependency handles this case.</p>
<p>Custom Dependency (Sync with any DB) (Event based)</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache allows you to implement an event based custom dependency called <code>NotifyExtensibleDependency</code> to receive notifications from your data source whenever data changes so you can update the cache.</p> <p>With this, you can write custom code to sync cache thru event notification against SQL Server, Oracle, CosmosDB, MongoDB, and others.</p>

2.13 Event Driven Data Sharing

Event Driven Data Sharing has become an important use for in-memory distributed caches. More and more applications today need to share data with other applications at runtime in an asynchronous fashion.

Previously, relational databases were used to share data among multiple applications but that requires constant polling by the applications wanting to consume data. Then, message queues became popular because of their asynchronous features and their persistence of events. And although message queues are great, they lack performance and scalability requirements of today's applications.

NCache provides very powerful features to facilitate Event Driven Data Sharing. They are discussed below and compared with AppFabric.

Feature Area	AppFabric	NCache
Item Level Events (onInsert / onRemove)	Supported	<p>Supported</p> <p>NCache can fire events to its clients whenever specific cached items are updated or removed based on client interest.</p> <p>You can register Java and .NET callbacks with NCache client and your callbacks are called in these cases.</p> <p>NCache uses its own socket-level protocol for this event propagation so it is super-fast.</p>
Cache Level Events (Add/Insert/Remove)	<p>Partial Support</p> <p>Cache Region event notifications. These events require polling by the cache clients which has a negative performance impact.</p>	<p>Supported</p> <p>If turned on, NCache sends event notifications to all clients whenever any item is added,</p>

Feature Area	AppFabric	NCache
		<p>updated, or removed from the cache.</p> <p>You can register Java and .NET callbacks with NCache client and your callbacks are called in these cases.</p>
<p>Custom Events (Fired by Apps)</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache allows your applications to fire custom events into the cache cluster. And, other applications can register to be notified for these events.</p> <p>This feature allows you to coordinate a pub/sub scenario with asynchronous event driven coordination between various clients.</p>
<p>Continuous Query</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache provides a powerful Continuous Query (CQ) feature. CQ lets you specify a SQL query against which NCache monitors the cache for any additions, updates, or deletes. And, your application is notified through events whenever this happens.</p>
<p>Pub/Sub Messaging (Topic)</p>	<p>Not Supported</p>	<p>Supported</p>

Feature Area	AppFabric	NCache
		NCache allows your applications to do Pub/Sub style messaging through Topic.
Pub/Sub Messaging (Queue)	Not Supported	Not Supported
Pub/Sub Messaging (Pattern Subscription)	Not Supported	<p>Supported</p> <p>You can specify the topic names through a wildcard pattern. And, it not only maps you to all the existing topics that match this pattern but also looks for any new topics added at runtime matching the same pattern and automatically subscribes to them.</p> <p>Pattern can be identified wildcards along with multiple delivery options.</p>
Pub/Sub Messaging (Durable Subscription)	Not Supported	<p>Supported</p> <p>Durable subscription allows clients who disconnect with NCache for any reason to not lose their messages. When they reconnect, they see all the message sent while they were disconnected.</p>

2.14 SQL-Like Cache Search

In-Memory distributed cache is frequently used to cache objects that contain data coming from a relational database. This data may be individual objects or collections that are the result of some database query.

Either way, applications often want to fetch a subset of this data and if they have the ability to search the distributed cache with a SQL-like query language and specify object attributes as part of the criteria, it makes the In-Memory distributed cache much more useful for them.

NCache provides powerful SQL-like searching capability of the cache.

Feature Area	AppFabric	NCache
SQL Search	Not Supported	<p data-bbox="944 663 1075 694">Supported</p> <p data-bbox="944 781 1378 927">NCache provides a rich SQL based searching capability. You can search the cache based on object attributes instead of just keys.</p> <p data-bbox="944 1016 1374 1122">You can also include Group, Subgroup, Tags, and Named Tags in your SQL query.</p>
LINQ Queries	Not Supported	<p data-bbox="944 1234 1075 1265">Supported</p> <p data-bbox="944 1352 1366 1576">NCache allows you to search the cache with LINQ queries from .NET applications. LINQ is a popular object querying language in .NET and NCache has implemented a LINQ provider.</p> <p data-bbox="944 1666 1369 1812">So, if you're comfortable using LINQ, you can search the cache the same way you would with NCache SQL.</p>
SQL & LINQ Search on	Not Supported	Supported

Feature Area	AppFabric	NCache
Tags, Named Tags & Groups		NCache allows you to include Tags, Named Tags, and Group names as part of you SQL search criteria.

2.15 Data Grouping

An in-memory distributed cache should be much more than a Hashtable with a (key, value) pair interface. It needs to meet the needs of real life applications that expect to fetch and update data in groups and collections. In a relational database, SQL provides a very powerful way to do all of this.

We've already explained how to search an in-memory distributed cache through SQL and LINQ. Now let's discuss Groups, Tags, and Named Tags. These features allow you to keep track of collections of data easily and even modify them.

Feature Area	AppFabric	NCache
Groups/Subgroups	Not Supported	Supported NCache provides the ability for you to group cached items in a group-subgroup combination (or just group with no subgroup). You can later fetch or remove all items belonging to a group. You can also fetch just the keys and then only fetch subset of them.
Tags	Partial Support Tags in AppFabric are specific to regions and not at cache level.	Supported NCache provides a concept called Tags. A Tag is a string that you can assign to one or more cached

Feature Area	AppFabric	NCache
		<p>items. And one cached item can be assigned multiple Tags.</p> <p>And, later, you can fetch items belonging to one or more Tags in order to manipulate them.</p> <p>You can also include Tags in SQL or LINQ search as part of the criteria.</p>
Named Tags	Not Supported	<p>Supported</p> <p>NCache provides Named Tags feature. Each Named Tag has a “key” and a “tag value” portion. So, you can search for items based on tag key and tag value and not just tag value. This is more powerful.</p> <p>Named Tag works the same as regular Tag.</p>

2.16 Read-through, Write-through & Cache Loader

Many people use in-memory distributed cache as “cache on the side” where they fetch data directly from the database and put it in the cache. Another approach is “cache through” where your application just asks the cache for the data. And, if the data isn’t there, the in-memory distributed cache gets it from your data source.

The same thing goes for write-through. Write-behind is nothing more than a write-through where the cache is updated immediately and the control returned to the client application. And, then the database or data source is updated asynchronously so the application doesn’t have to wait for it.

NCache provides powerful capabilities in this area.

Feature Area	AppFabric	NCache
Read-through	Supported	<p>Supported</p> <p>NCache allows you to implement multiple read-through handlers and register with the cache as “named providers”. Then, the client can tell NCache to use a specific read-through upon a “cache miss”.</p> <p>NCache also allows you to add read-through handlers at runtime without stopping the cache.</p>
Write-through & Write behind	Supported	<p>Supported</p> <p>NCache allows you to implement multiple write-through handlers and register with NCache as “named providers”. Then, whenever application updates a cached item and tells NCache to also call write-through, NCache server calls your write-through handler.</p> <p>If you’ve enabled write-behind, then NCache updates the cache immediately and queues up the database update and then a background thread processes it and calls your write-through handler.</p>
Auto Reload at Expiration &	Not Supported	Supported

Feature Area	AppFabric	NCache
Database Synchronization		<p>If you've implemented a read-through handler, NCache allows you to use it to specify that whenever a cached item expires, instead of removing it from the cache, NCache should call your read-through handler to read a new copy of that object and update the cache with it.</p> <p>You can specify the same when database synchronization is enabled and a row in the database is updated and a corresponding cached item would have been removed from the cache but is now reloaded with the help of your read-through.</p>
Cache Startup Loader	Not Supported	<p>Supported</p> <p>NCache lets you implement a Cache Loader and register it with the cache cluster. NCache then calls it to prepopulate the cache upon startup.</p> <p>Cache Loader is your code that reads data from your data source/database.</p>

2.17 Big Data Processing

For analysis and processing large amount of data becomes faster if done in-memory A distributed cache is a scalable in-memory data store. And, if it can support the popular Map/Reduce style processing, then you're able to speed up your work greatly.

Feature Area	AppFabric	NCache
Map-Reduce Query	Not Supported	Supported. NCache provides a MapReduce framework where you program can run on cache servers for parallel processing of Big Data.
Aggregators	Not Supported	Supported. NCache provides Aggregator that works with MapReduce framework and provides you statistical data.
Entry Processor	Not Supported	Supported. NCache fully supports Entry Processor execution on cache nodes in parallel.

2.18 Third Party Integrations & Extensions

Entity Framework from Microsoft is also a very popular object-relational mapping engine. And, although Entity Framework doesn't have a nice Second Level Cache provide architecture like NHibernate, NCache has nonetheless implemented a Second Level Cache for Entity Framework.

NHibernate is a very powerful and popular object-relational mapping engine. And, fortunately, it also has a Second Level Cache provider architecture that allows you to plug-in a third-party cache without making any code changes to the NHibernate application. NCache has implemented this NHibernate Second Level Cache provider. See [NHibernate Second Level Cache](#) for details.

Memcached is an open-source in-memory distributed caching solution which helps speed up web applications by taking pressure off the database. Memcached is used by many of the internet's biggest websites and has been merged with other technologies. NCache implements Memcached protocol to enable users with existing Memcached implementations to easily migrate to NCache. No code required for this.

Feature Area	AppFabric	NCache
Entity Framework Core Cache	Not Supported	<p data-bbox="951 286 1078 320">Supported</p> <p data-bbox="951 405 1182 439"><u>Extension Methods</u></p> <p data-bbox="951 524 1369 745">NCache has implemented EF Core Extension Methods for caching to make it really simple for EF applications to use caching. It also gives full control to the application about how to cache data.</p>
Entity Framework 6 Cache	Not Supported	<p data-bbox="951 857 1078 891">Supported</p> <p data-bbox="951 976 1270 1010"><u>Custom ADO.NET Provider</u></p> <p data-bbox="951 1095 1382 1435">NCache has implemented a behind-the-scene second level cache for Entity Framework. You can plug-in NCache to your EF application, run it in analysis mode, and quickly see all the queries being used by it. Then, you can decide which queries should be cached and which ones skipped.</p>
NHibernate 2 nd Level Cache	<p data-bbox="489 1541 721 1574">No Official Support</p> <p data-bbox="489 1659 852 1733">Not officially supported. Open source projects only</p>	<p data-bbox="951 1541 1078 1574">Supported</p> <p data-bbox="951 1659 1382 1809">NCache provides an NHibernate L2 Cache provider that you can plug-in through web.config or app.config changes.</p> <p data-bbox="951 1895 1382 2007">NCache has also implemented database synchronization feature in this so you can specify which classes</p>

Feature Area	AppFabric	NCache
		<p>should be synchronized with the database. NCache lets you specify SqlDependency or DbDependency for this.</p>
<p>Server-side Extensible Modules</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache allows you to dynamically register server-side modules that can use NCache's distributed architecture.</p> <p>Lucene.NET support is one such module.</p>
<p>Full Text Search Extensible Module</p>	<p>Not Supported</p>	<p>Supported (thru Lucene)</p> <p>NCache provides Full Text Search thru industry standard Lucene. NCache has implemented a server-side module that uses actual Lucene code to ensure full compliance with Lucene API.</p>
<p>Memcached Protocol Server</p>	<p>Not Supported</p>	<p>Supported</p> <p>NCache has implemented Memcached protocol fully. This means you can plug-in NCache as an in-memory distributed cache as a replacement of Memcached.</p>

Feature Area	AppFabric	NCache
		<p>Two ways are offered to use Memcached applications with NCache.</p> <p><u>Memcached Pug-In</u>: All the popular Open Source .NET Memcached client libraries have been implemented for NCache.</p> <p><u>Memcached Gateway</u>: Using this you can store your application data from any application that use the Memcached.</p>
Memcached Smart Wrapper	Not Supported	<p>Supported</p> <p>NCache has implemented the popular .NET and Java Memcached client libraries which in-turn calls NCache. This allows you to plug-in Memcached client library to your application without any code change or recompilation.</p> <p>This wrapper does not require you to go through a Memcached Protocol Server which is an extra hop.</p>

2.19 Security & Encryption

Many applications deal with sensitive data or are mission critical and cannot allow the cache to be open to everybody. Therefore, a good In-Memory distributed cache provides restricted access based on authentication and authorization to classify people in different groups of users. And, it should

also allow data to be encrypted inside the client application process before it travels to the distributed cache.

NCache provides strong support in all of these areas.

Feature Area	AppFabric	NCache
<p>Authentication (Active Directory / LDAP)</p>	<p>Supported</p> <p>Through Windows Identity Foundation.</p>	<p>Supported</p> <p>You can authenticate users against Active Directory or LDAP. If security is enabled, nobody can access the cache without authentication and authorization.</p>
<p>Authorization</p>	<p>Supported</p> <p>AppFabric allows authorization through 3 users groups; "administrators", "Observers", and "Users".</p>	<p>Supported</p> <p>You can authorize users to be either "users" or "admins". Users can only access the cache for read-write operations while "admins" can administer the cache.</p>
<p>Data Encryption</p>	<p>Not Supported</p> <p>AppFabric only provides encryption for transporting data between the client cache and cache cluster. No encryption is available for items stored in the cache.</p>	<p>Supported</p> <p>You can enable encryption and NCache automatically encrypts all items one client-side before sending them to the cache.</p> <p>And, this data is kept encrypted while in the cache. And decryption also happens automatically and transparently inside the client process.</p>

Feature Area	AppFabric	NCache
		Currently, 3DES and AES128 / AES196 / AES256 encryptions are provided and more are being added.
Secure Communication	Supported	<p>Supported</p> <p>NCache provides SSL support for client/server communication.</p> <p>Additionally, strong encryptions are provided by NCache so you can encrypt data over an unsecured connection.</p>

2.20 Cache Size Management (Evictions Policies)

An in-memory distributed cache always has less storage space than a relational database. So, by design, an in-memory distributed cache is supposed to cache a subset of the data which is really the “moving window” of a data set that the applications are currently interested in.

This means that an in-memory distributed cache should allow you to specify how much memory it should consume and once it reaches that size, the cache should evict some of the cached items. However, please keep in mind that if you’re caching something that does not exist in the database (e.g. ASP.NET Sessions) then you need to do proper capacity planning to ensure that these cached items (sessions in this case) are never evicted from the cache. Instead, they should be “expired” at appropriate time based on their usage.

Feature Area	AppFabric	NCache
Max Cache Size (in MBs)	Supported	Supported
LRU Evictions	Supported	Supported

Feature Area	AppFabric	NCache
(Least Recently Used)		
LFU Evictions (Least Frequently Used)	Not Supported	Supported NCache supports least frequently used eviction policy using which you will be able to keep that data in cache for longer which is being used more frequently.
Priority Evictions	Not Supported	Supported NCache also lets you specify a “do not evict” priority for some cached items and then they are not evicted.
Do Not Evict Option	Not Supported	Supported NCache lets you specify “do not evict” option for the entire cache. Then, nothing is evicted even when cache is full. Instead, the client applications receive an error stating that the cache is full when they try to add data to the cache.

2.21 Distributed Data Structures

NCache provides an extensive set of distributed data structures with .NET interfaces.

Feature Area	AppFabric	NCache
String	Not Supported	Supported
List	Not Supported	Supported
Sorted List	Not Supported	Not Supported

Feature Area	AppFabric	NCache
Set	Not Supported	Supported NCache provides the .NET HashSet class implementation in a distributed manner.
Sorted Set	Not Supported	Not Supported
Queue	Not Supported	Supported NCache provides a Distributed Queue
Dictionary	Not Supported	Supported NCache provides an IDictionary implementation but in a distributed manner.
Counter	Not Supported	Supported NCache also lets you specify a “do not evict” priority for some cached items and then they are not evicted.
Bitmap	Not Supported	Not Supported
Hyper Log	Not Supported	Not Supported
SQL Search on	Not Supported	Supported

Feature Area	AppFabric	NCache
Data Structure		NCache allows you to use SQL/LINQ to search items inside collection type of data structures like List, Queue, Dictionary, and Set.
Geospatial Data	Not Supported	Not Supported

2.22 Cache Administration

Cache administration is a very important aspect of any distributed cache. A good cache should provide the following:

1. GUI based and command line tools for cache administration including cache creation and editing/updates.
2. GUI based tools to monitor cache activities at runtime.
3. Cache statistics based on PerfMon (since for Windows PerfMon is the standard)

NCache provides powerful support in all these areas.

Read more about it at [Administration and Monitoring Tools](#).

Feature Area	AppFabric	NCache
Admin Tool (Web Based GUI)	Not Supported	Supported NCache Web Manager is a powerful GUI tool for NCache. It gives you an explorer style view and lets you quickly administer the cache cluster from a single place. This includes cache creation/editing and many other functions.

Feature Area	AppFabric	NCache
<p>Monitoring Tool (Web Based GUI)</p>	<p>Partial Support</p> <p>AppFabric provides a very basic monitoring through Azure Portal.</p>	<p>Supported</p> <p>NCache Web Monitor provides rich set of performance counters and other stats.</p> <p>NCache Web Monitor is a powerful GUI tool that lets you monitor NCache cluster wide activity from a single location. It also lets you monitor all of NCache clients from a single location with a lot of details.</p> <p>And, you can incorporate non-NCache PerfMon counters in it for comparison with NCache stats. This real-time comparison is often very important.</p>
<p>PerfMon Counters</p>	<p>Supported</p> <p>AppFabric provides a range of PerfMon counters for monitoring and troubleshooting the cache.</p>	<p>Supported</p> <p>NCache provides a rich set of PerfMon counters that can be seen from NCache Web Manager, NCache Web Monitor, or any third party tool that supports PerfMon monitoring.</p>
<p>Admin Tools (PowerShell)</p>	<p>Supported</p> <p>PowerShell Cmdlets provided. You have to use PowerShell Console or write scripts to use these Cmdlets.</p>	<p>Supported</p> <p>NCache provides a rich set of PowerShell admin tools. You can create a cache, add remote clients to it, add server nodes to it,</p>

Feature Area	AppFabric	NCache
		<p>start/stop the cache, and much more.</p> <p>Use these tools from your PowerShell scripts and automate various cache admin operations.</p>
Admin Tools (Command Line)	Supported	<p>Supported</p> <p>NCache provides a rich set of command line tools. You can create a cache, add remote clients to it, add server nodes to it, start/stop the cache, and much more.</p> <p>Use these tools from your scripts and automate various cache admin operations.</p>
Admin & Monitoring (API)	<p>Supported</p> <p>REST API.</p> <p>No .NET or Java events provided for cluster changes at runtime.</p>	<p>Supported</p> <p>NCache provides Java and .NET API to manage and monitor the caches & client. Using this API you can stop/start the cache, get the statistics of the connected clients or get the health info of the cache cluster.</p>

2.23 Java Support

NCache provides strong support in all of these areas. See how AppFabric compares with NCache.

Feature Area	AppFabric	NCache
Java Client	Not Supported	<p data-bbox="954 286 1082 320">Supported</p> <p data-bbox="954 405 1374 477">NCache provides a Java Client with full support.</p>
JCache API	Not Supported	<p data-bbox="954 584 1082 618">Supported</p> <p data-bbox="954 703 1385 927">NCache provides JCache API as its primary API for Java applications and only provides extended JCache API for features that NCache provides but that are not supported by JCache.</p> <p data-bbox="954 1016 1374 1128">As a result, you can plug-in NCache to any JCache application without any code changes.</p>
Spring Caching	Not Supported	<p data-bbox="954 1234 1082 1267">Supported</p> <p data-bbox="954 1352 1374 1464">NCache fully supports integration with Spring Framework version 3.1 and later.</p>
Java Web Sessions	Not Supported	<p data-bbox="954 1570 1082 1603">Supported.</p> <p data-bbox="954 1688 1385 1868">NCache has implemented a JSP Servlet Session Provider (Java Servlet 2.3+). You can use it without any code changes. Just change web.xml</p>

Feature Area	AppFabric	NCache
		NCache provides intelligent session replication and is much faster than any database storage for sessions.
Java Web Sessions (Multi-site)	Not Supported	<p>Supported.</p> <p>NCache allows you to share Java Web sessions across multiple data centers.</p> <p>This serves situations where you don't want to replicate all sessions to each data center but want the ability to overflow traffic from one data center to another without losing your Java Web sessions.</p> <p>The session moves from one data center to the next as the user moves.</p>

3 Conclusion

Conclusion

As you can see in a very detailed fashion, we have outlined all of NCache features and all the corresponding AppFabric features or a lack thereof. We hope this document helps you get a better understanding of AppFabric versus NCache.

Please note that the true cost of ownership for a distributed cache is not just the price of it. It is the cost to your business. The most important thing for many customers is that they cannot afford unscheduled downtime (especially during peak hours). And, this is where an elastic cache like NCache truly shines.

Additionally, all those caching features that NCache provides are intended to give you total control over the cache and allow you to cache all types of data and not just simple data.

Please read more about NCache and also feel free to download a fully working 60-day trial of NCache from:

- [NCache details](#)

- [Download](#)